

SECTION 1: IDENTIFICATION OF THE SUBSTANCE OR PREPARATION AND THE COMPANY
1.1 Product Identifier
Product Name: EP Primer CR (Resin) Part A

1.2 Relevant identified uses of the substance or mixture and uses advised against
Material uses: Relevant uses: Resin. For professional users/industrial user only.
 Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet
Company Name: Polycote UK LLP
 Centre Point
 Wolsley Road
 Woburn Road Industrial Estate
 Kempston
 Beds
 MK42 7EF
Telephone Number: 01234 846400
Emergency Contact Number: 111 (NHS England)
Email address: uksales@polycote.com
SECTION 2: HAZARDS IDENTIFICATION
2.1 Classification of the substance or mixture:
GB CLP Regulation:

 Classification of this product has been carried out in accordance with GB CLP Regulation.
 Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard, Category 2, H411
 Eye Irrit. 2: Eye irritation, Category 2, H319
 Skin Irrit. 2: Skin irritation, Category 2, H315
 Skin Sens. 1: Sensitisation, skin, Category 1, H317

2.2 Label elements
GB CLP Regulation:
Signal word:

Warning

Hazard pictograms:

Hazard statements:

 Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
 Eye Irrit. 2: H319 - Causes serious eye irritation.
 Skin Irrit. 2: H315 - Causes skin irritation.

Precautionary statements:

 Skin Sens. 1: H317 - May cause an allergic skin reaction.
 P261: Avoid breathing dust/fume/gas/mist/vapours/spray.
 P264: Wash thoroughly after use.
 P273: Avoid release to the environment.
 P280: Wear protective gloves/protective clothing/respiratory protection/eye protection/protective footwear.
 P302+P352: IF ON SKIN: Wash with plenty of soap and water.
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P333+P313: If skin irritation or rash occurs: Get medical advice/attention.
 P337+P313: If eye irritation persists: Get medical advice/attention.
 P391: Collect spillage.
 P501: Dispose of the contents and/or its container in line with regulations on dangerous waste or packaging and waste packaging respectively.

Supplementary information:
Substances that contribute to the classification:

 EUH205: Contains epoxy constituents. May produce an allergic reaction.
 reaction product: bisphenol-A-(epichlorhydrin) (MW < 700); Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol; oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria


SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS
3.1 Substance:

Non-applicable

3.2 Mixture:
Chemical description: Mixture composed of additives and epoxy polymers

Components:

In accordance with Annex II of The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020, the product contains:

| Identification | Chemical name/Classification | Concentration |
|-----------------|--|---------------|
| CAS: 25068-38-6 | reaction product: bisphenol-A-(epichlorhydrin) (MW < 700) Aquatic Chronic 2: H411; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning <div style="text-align: right; margin-top: 5px;">  </div> | 50 - <75 % |

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS (continue)

| Identification | Chemical name/Classification | Concentration |
|-----------------|---|---------------|
| CAS: 9003-36-5 | Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol Aquatic Chronic 2: H411; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning | 25 - <50 % |
| CAS: 68609-97-2 | oxirane, mono[(C12-14-alkyloxy)methyl] derivs. Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning | 10 - <15 % |

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

| Identification | Specific concentration limit |
|---|-----------------------------------|
| reaction product: bisphenol-A-(epichlorhydrin) (MW < 700) | % (w/w) >=5: Skin Irrit. 2 - H315 |
| CAS: 25068-38-6 | % (w/w) >=5: Eye Irrit. 2 - H319 |

SECTION 4: FIRST-AID MEASURES**4.1 Description of first aid measures:**

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIRE-FIGHTING MEASURES**5.1 Extinguishing media:****Suitable extinguishing media:**

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media

Non-applicable.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...).

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES**6.1 Personal precautions, protective equipment and emergency procedures:****For non-emergency personnel:**

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilled product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended: Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

| | |
|---|---|
| <p>7.1 Precautions for safe handling:</p> | <p>A.- General precautions for safe use Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and destroy using safe methods (section 6).</p> <p>B.- Technical recommendations for the prevention of fires and explosions Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.</p> <p>C.- Technical recommendations on general occupational hygiene Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.</p> <p>D.- Technical recommendations to prevent environmental risks Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.</p> |
| <p>7.2 Conditions for safe storage, including any Incompatibilities:</p> | <p>A.- Technical measures for storage Minimum Temp: 2 °C Maximum Temp: 35 °C Maximum time: 24 Months</p> <p>B.- General conditions for storage Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5</p> |
| <p>7.3 Specific end use(s)</p> | <p>Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.</p> |

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:
Substances whose occupational exposure limits have to be monitored in the workplace:
EH40/2005 Workplace exposure limits, fourth edition, published 2020:

| Identification | Occupational exposure limit | | |
|-----------------------------------|-----------------------------|-------|----------------------|
| | WEL (8h) | 1 ppm | 5 mg/m ³ |
| n-butyl acrylate CAS: 141-32-2 | WEL (15 min) | 5 ppm | 26 mg/m ³ |

DNEL (Workers):

| Identification | | Short exposure | | Long exposure | |
|---|------------|----------------|----------------|-------------------------|----------------|
| | | Systemic | Local | Systemic | Local |
| reaction product: bisphenol-A-(epichlorhydrin) (MW < 700) CAS: 25068-38-6 EC: 500-033-5 | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| | Dermal | Non-applicable | Non-applicable | 0.75 mg/kg | Non-applicable |
| | Inhalation | Non-applicable | Non-applicable | 4.93 mg/m ³ | Non-applicable |
| Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol CAS: 9003-36-5 EC: 500-006-8 | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| | Dermal | Non-applicable | Non-applicable | 104.15 mg/kg | Non-applicable |
| | Inhalation | Non-applicable | Non-applicable | 29.39 mg/m ³ | Non-applicable |
| oxirane, mono[(C12-14-alkyloxy)methyl] derivs. CAS: 68609-97-2 EC: 271-846-8 | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| | Dermal | Non-applicable | Non-applicable | 1 mg/kg | Non-applicable |
| | Inhalation | Non-applicable | Non-applicable | 3.6 mg/m ³ | Non-applicable |

DNEL (General population):

| Identification | | Short exposure | | Long exposure | |
|---|------------|----------------|----------------|------------------------|----------------|
| | | Systemic | Local | Systemic | Local |
| reaction product: bisphenol-A-(epichlorhydrin) (MW < 700) CAS: 25068-38-6 EC: 500-033-5 | Oral | Non-applicable | Non-applicable | 0.5 mg/kg | Non-applicable |
| | Dermal | Non-applicable | Non-applicable | 0.0893 mg/kg | Non-applicable |
| | Inhalation | Non-applicable | Non-applicable | 0.87 mg/m ³ | Non-applicable |
| Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol CAS: 9003-36-5 EC: 500-006-8 | Oral | Non-applicable | Non-applicable | 6.25 mg/kg | Non-applicable |
| | Dermal | Non-applicable | Non-applicable | 62.5 mg/kg | Non-applicable |
| | Inhalation | Non-applicable | Non-applicable | 8.7 mg/m ³ | Non-applicable |
| oxirane, mono[(C12-14-alkyloxy)methyl] derivs. CAS: 68609-97-2 EC: 271-846-8 | Oral | Non-applicable | Non-applicable | 0.5 mg/kg | Non-applicable |
| | Dermal | Non-applicable | Non-applicable | 0.5 mg/kg | Non-applicable |
| | Inhalation | Non-applicable | Non-applicable | 0.87 mg/m ³ | Non-applicable |

PNEC:

| Identification | | PNEC | | |
|---|--------------|-------------|-------------------------|-------------|
| | | STP | Fresh water | 0.006 mg/L |
| reaction product: bisphenol-A-(epichlorhydrin) (MW < 700) CAS: 25068-38-6 EC: 500-033-5 | Soil | 0.065 mg/kg | Marine water | 0.001 mg/L |
| | Intermittent | 0.018 mg/L | Sediment (Fresh water) | 0.341 mg/kg |
| | Oral | 0.011 g/kg | Sediment (Marine water) | 0.034 mg/kg |

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continue)

PNEC:


| Identification | | | | |
|---|--------------|----------------|-------------------------|--------------|
| Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol CAS: 9003-36-5 EC: 500-006-8 | STP | 10 mg/L | Fresh water | 0.003 mg/L |
| | Soil | 0.237 mg/kg | Marine water | 0 mg/L |
| | Intermittent | 0.025 mg/L | Sediment (Fresh water) | 0.294 mg/kg |
| | Oral | Non-applicable | Sediment (Marine water) | 0.029 mg/kg |
| oxirane, mono[(C12-14-alkyloxy)methyl] derivs. CAS: 68609-97-2 EC: 271-846-8 | STP | 10 mg/L | Fresh water | 0.106 mg/L |
| | Soil | 1.234 mg/kg | Marine water | 0.011 mg/L |
| | Intermittent | 0.072 mg/L | Sediment (Fresh water) | 307.16 mg/kg |
| | Oral | Non-applicable | Sediment (Marine water) | 30.72 mg/kg |

8.2 Exposure controls:


A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<UKCA marking>>. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B. Respiratory protection


| Pictogram | PPE | Remarks |
|---|-----------------------------------|--|
|  Mandatory respiratory tract protection | Filter mask for gases and vapours | Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment. |

C. Specific protection for the hands

| Pictogram | PPE | Remarks |
|--|---------------------------------------|--|
|  Mandatory hand protection | Protective gloves against minor risks | Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+A1:2010 and EN ISO 374-1:2016+A1:2018 |

As the product is a mixture of several substances, the resistance of the glove material cannot be calculated in advance with total reliability and has therefore to be checked prior to the application.



D. Eye and face protection

| Pictogram | PPE | Remarks |
|--|---|---|
|  Mandatory face protection | Panoramic glasses against splash/projections. | Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. |

E. Body protection

| Pictogram | PPE | Remarks |
|-----------|----------------------|---|
| | Work clothing | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994. |
| | Anti-slip work shoes | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007 |

F. Additional emergency measures

| Emergency measure | Standards | Emergency measure | Standards |
|---|---|--|--|
|  Emergency shower | ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011 |  Eyewash stations | DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 |

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

For complete information see the product datasheet.

Appearance

| | |
|--------------------------|------------------|
| Physical state at 20 °C: | Liquid |
| Appearance: | Viscous |
| Colour: | Light Yellow |
| Odour: | Characteristic |
| Odour threshold: | Non-applicable * |

Volatility:

| | |
|--|-----------------------|
| Boiling point at atmospheric pressure: | 165 °C |
| Vapour pressure at 20 °C: | 232 Pa |
| Vapour pressure at 50 °C: | 1426.72 Pa (1.43 kPa) |
| Evaporation rate at 20 °C: | Non-applicable * |

Product description:

| | |
|--|--------------------------|
| Density at 20 °C: | 1067.3 kg/m ³ |
| Relative density at 20 °C: | 1.067 |
| Dynamic viscosity at 20 °C: | Non-applicable * |
| Kinematic viscosity at 20 °C: | Non-applicable * |
| Kinematic viscosity at 40 °C: | >20.5 mm ² /s |
| Concentration: | Non-applicable * |
| pH: | Non-applicable * |
| Vapour density at 20 °C: | Non-applicable * |
| Partition coefficient n-octanol/water 20 °C: | Non-applicable * |
| Solubility in water at 20 °C: | Non-applicable * |
| Solubility properties: | Non-applicable * |
| Decomposition temperature: | Non-applicable * |
| Melting point/freezing point: | Non-applicable * |

Flammability:

| | |
|----------------------------|------------------------|
| Flash Point: | Non-Flammable (>60 °C) |
| Flammability (solid, gas): | Non-applicable * |
| Autoignition temperature: | 292 °C |
| Lower flammability limit: | Non-applicable * |
| Upper flammability limit: | Non-applicable * |

Particle characteristics

| | |
|-----------------------------|----------------|
| Median equivalent diameter: | Non-applicable |
|-----------------------------|----------------|

9.2 Other information**Information with regard to physical hazard**

| | |
|-----------------------|------------------|
| classes: | Non-applicable * |
| Explosive properties: | Non-applicable * |
| Oxidising properties: | Non-applicable * |
| Corrosive to metals: | Non-applicable * |
| Heat of combustion: | Non-applicable * |

Aerosols-total percentage (by mass) of flammable components:

Other safety characteristics:

| | |
|---------------------------|------------------|
| Surface tension at 20 °C: | Non-applicable * |
| Refraction index: | Non-applicable * |

*Not relevant due to the nature of the product, not providing information property of its hazards

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity: No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability: Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions: Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

| Shock and friction | Contact with air | Increase in temperature | Sunlight | Humidity |
|--------------------|------------------|-------------------------|----------------|----------------|
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |

10.5 Incompatible materials:

| Acids | Water | Oxidising materials | Combustible materials | Others |
|--------------------|----------------|---------------------|-----------------------|-------------------------------|
| Avoid strong acids | Not applicable | Not applicable | Not applicable | Avoid alkalis or strong bases |

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
- Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.

B- Inhalation (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Produces skin inflammation.
- Contact with the eyes: Produces eye damage after contact.

D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
- IARC: Hydrocarbons, C9, aromatics (3); n-butyl acrylate (3)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.

F- Specific target organ toxicity (STOT) - single exposure:

- Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

H- Aspiration hazard:

- Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

| Identification | Acute toxicity | | Genus |
|--|-----------------|-------------|-------|
| reaction product: bisphenol-A-(epichlorhydrin) (MW < 700 CAS: 25068-38-6 | LD50 oral | >5000 mg/kg | |
| | LD50 dermal | >5000 mg/kg | |
| | LC50 inhalation | >5 mg/L | |
| Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol CAS: 9003-36-5 | LD50 oral | >5000 mg/kg | |
| | LD50 dermal | >5000 mg/kg | |
| | LC50 inhalation | >20 mg/L | |
| oxirane, mono[(C12-14-alkyloxy)methyl] derivs. CAS: 68609-97-2 | LD50 oral | >5000 mg/kg | |
| | LD50 dermal | >5000 mg/kg | |
| | LC50 inhalation | >20 mg/L | |

Acute Toxicity Estimate (ATE mix):

| ATE mix | | Ingredient(s) of unknown toxicity |
|------------|-------------------------------------|-----------------------------------|
| Oral | >5000 mg/kg (Calculation method) | Non-applicable |
| Dermal | >5000 mg/kg (Calculation method) | Non-applicable |
| Inhalation | >20 mg/L (4 h) (Calculation method) | Non-applicable |

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity

Acute toxicity:

| Identification | Concentration | | Species | Genus |
|--|---------------|---------------------|---------|------------|
| reaction product: bisphenol-A-(epichlorhydrin) (MW < 700) CAS: 25068-38-6 | LC50 | >1 - 10 mg/L (96 h) | | Fish |
| | EC50 | >1 - 10 mg/L (48 h) | | Crustacean |
| | EC50 | >1 - 10 mg/L (72 h) | | Algae |
| Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol CAS: 9003-36-5 | LC50 | >1 - 10 mg/L (96 h) | | Fish |
| | EC50 | >1 - 10 mg/L (48 h) | | Crustacean |
| | EC50 | >1 - 10 mg/L (72 h) | | Algae |

SECTION 12: ECOLOGICAL INFORMATION (continue)

Chronic toxicity:

| Identification | Concentration | | Species | Genus |
|--|---------------|----------------|---------------|------------|
| reaction product: bisphenol-A-(epichlorhydrin) (MW < 700) CAS: 25068-38-6 | NOEC | Non-applicable | | |
| | NOEC | 0.3 mg/L | Daphnia magna | Crustacean |

12.2 Persistence and degradability:

Substance-specific information:

| Identification | Degradability | | Biodegradability | |
|--|---------------|----------------|------------------|----------|
| reaction product: bisphenol-A-(epichlorhydrin) (MW < 700) CAS: 25068-38-6 | BOD5 | Non-applicable | Concentration | 100 mg/L |
| | COD | Non-applicable | Period | 28 days |
| | BOD5/COD | Non-applicable | % Biodegradable | 0 % |

12.3 Bioaccumulative potential

Substance-specific information:

| Identification | Bioaccumulation potential | |
|--|---------------------------|-----|
| reaction product: bisphenol-A-(epichlorhydrin) (MW < 700) CAS: 25068-38-6 | BCF | 4 |
| | Pow Log | 2.8 |
| | Potential | Low |

12.4 Mobility in soil:

Not available

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

| Code | Description | Waste class |
|-----------|---|-------------|
| 20 01 27* | paint, inks, adhesives and resins containing hazardous substances | Dangerous |

Type of waste:

HP14 Ecotoxic, HP13 Sensitising, HP4 Irritant — skin irritation and eye damage

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance The Waste Regulations 2011, 2011 No. 988. As under 15 01 of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of UK REACH the provisions related to waste management are stated:

UK legislation: The Waste Regulations 2011.

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:



| | |
|--|--|
| 14.1 UN number: | UN3082 |
| 14.2 UN proper shipping name: | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin) (MW < 700)) |
| 14.3 Transport Hazard Class(es): | 9 |
| Label(s): | 9 |
| 14.4 Packing group | III |
| 14.5 Environmental hazards: | Yes |
| 14.6 Special precautions for user | |
| Tunnel restriction code: | - |
| Physico-Chemical properties: | see section 9 |
| Limited quantities: | 5 L |
| 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code | Non-applicable |

Transport of dangerous goods by sea:

With regard to IMDG 40-20:



| | |
|---|--|
| 14.1 UN number: | UN3082 |
| 14.2 UN proper shipping name: | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin) (MW < 700)) |
| 14.3 Transport Hazard Class(es): | 9 |
| Label(s): | 9 |
| 14.4 Packing group | III |

SECTION 14: TRANSPORT INFORMATION (continue)

| | | |
|-------------|---|----------------|
| 14.5 | Marine pollutant: | Yes |
| 14.6 | Special precautions for user | |
| | Special regulations: | 335, 969, 274 |
| | EmS Codes: | F-A, S-F |
| | Physico-Chemical properties: | see section 9 |
| | Limited quantities: | 5 L |
| | Segregation group: | Non-applicable |
| 14.7 | Transport in bulk according to Annex II of Marpol and the IBC Code | Non-applicable |

Transport of dangerous goods by air:

With regard to IATA/ICAO 2022:



| | | |
|-------------|---|---|
| 14.1 | UN number: | UN3082 |
| 14.2 | UN proper shipping name: | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (reaction product: bisphenol-A-(epichlorhydrin) (MW < 700)) |
| 14.3 | Transport Hazard Class(es): | 9 |
| | Label(s): | 9 |
| 14.4 | Packing group | III |
| 14.5 | Environmental hazards: | Yes |
| 14.6 | Special precautions for user | |
| | Physico-Chemical properties: | see section 9 |
| 14.7 | Transport in bulk according to Annex II of Marpol and the IBC Code | Non-applicable |

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Substances listed in UK candidate list of substances of very high concern (SVHCs): Non-applicable
- Substances listed in UK REACH Authorisation List (Annex 14): Non-applicable

The Control of Major Accident Hazards Regulations 2015:

| Section | Description | Lower-tier requirement | Upper-tier requirements |
|---------|-----------------------|------------------------|-------------------------|
| E2 | ENVIRONMENTAL HAZARDS | 200 | 500 |

Restrictions to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII UK REACH, etc):

Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Occupational exposure to respirable crystalline silica must be controlled pursuant to Directive (EU) 2019/130.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.
 The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020.
 Control of Substances Hazardous to Health Regulations 2002 (as amended)
 EH40/2005 Workplace exposure limits.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.

Texts of the legislative phrases mentioned in section 2:

- H315: Causes skin irritation.
- H317: May cause an allergic skin reaction.
- H411: Toxic to aquatic life with long lasting effects.
- H319: Causes serious eye irritation.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

GB CLP Regulation:

- Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
- Eye Irrit. 2: H319 - Causes serious eye irritation.
- Skin Irrit. 2: H315 - Causes skin irritation.
- Skin Sens. 1: H317 - May cause an allergic skin reaction.

SECTION 16: OTHER INFORMATION (continue)**Classification procedure:**

Skin Irrit. 2: Calculation method
Skin Sens. 1: Calculation method
Aquatic Chronic 2: Calculation method
Eye Irrit. 2: Calculation method

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

<http://echa.europa.eu>
<http://eur-lex.europa.eu>

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road
IMDG: International maritime dangerous goods code
IATA: International Air Transport Association
ICAO: International Civil Aviation Organisation
COD: Chemical Oxygen Demand
BOD5: 5day biochemical oxygen demand
BCF: Bioconcentration factor
LD50: Lethal Dose 50
LC50: Lethal Concentration 50
EC50: Effective concentration 50
LogPOW: Octanolwater partition coefficient
Koc: Partition coefficient of organic carbon
UFI: unique formula identifier
IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at UK, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

Rev: 01/04/2025

SECTION 1: IDENTIFICATION OF THE SUBSTANCE OR PREPARATION AND THE COMPANY
1.1 Product Identifier
Product Name: EP Primer CR (Hardener) Part B

1.2 Relevant identified uses of the substance or mixture and uses advised against
Material uses: Relevant uses: Resin. For professional users/industrial user only.
 Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet
Company Name: Polycote UK LLP
 Centre Point
 Wolsley Road
 Woburn Road Industrial Estate
 Kempston
 Beds
 MK42 7EF
Telephone Number: 01234 846400
Emergency Contact Number: 111 (NHS England)
Email address: uksales@polycote.com
SECTION 2: HAZARDS IDENTIFICATION
2.1 Classification of the substance or mixture:
GB CLP Regulation:

 Classification of this product has been carried out in accordance with GB CLP Regulation.
 Acute Tox. 4: Acute toxicity if swallowed, Category 4, H302
 Aquatic Chronic 2: Hazardous to the aquatic environment, long-term hazard, Category 2, H411
 Eye Dam. 1: Serious eye damage, Category 1, H318
 Repr. 1A: Reproductive toxicity, Category 1A, H360Fd
 Skin Corr. 1B: Skin corrosion, Category 1B, H314
 Skin Sens. 1A: Sensitisation, skin, Category 1A, H317

2.2 Label elements
GB CLP Regulation:
Signal word:

Danger

Hazard pictograms:

Hazard statements:

 Acute Tox. 4: H302 - Harmful if swallowed.
 Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
 Repr. 1A: H360Fd - May damage fertility. Suspected of damaging the unborn child.
 Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
 Skin Sens. 1A: H317 - May cause an allergic skin reaction.

Precautionary statements:

 P264: Wash hands thoroughly after handling.
 P280: Wear protective gloves/protective clothing/eye protection.
 P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
 P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
 P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P308+P313: IF exposed or concerned: Get medical advice/attention.
 P501: Dispose of the contents and/or its container in line with regulations on dangerous waste or packaging and waste packaging respectively.

Supplementary information:

 EUH071: Corrosive to the respiratory tract.
 Contains [Fatty acids, C18-unsaturated, dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine] reaction products with bisphenol A diglycidyl ether, [Fatty acids, C18-unsaturated, dimers, oligomeric reaction products with tall oil fatty acids and triethylenetetramine] reaction products with glycidyl tolyl ether, 3-aminomethyl-3,5,5-trimethylcyclohexylamine, 3-aminopropylidimethylamine, 3-aminopropyltriethoxysilane, Bisphenol A, Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine, m-phenylenebis(methylamine).

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS
3.1 Substance:

Non-applicable

3.2 Mixture:
Chemical description: Formulated polyamines

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS (continue)

Components:

In accordance with Annex II of The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020, the product contains:

| Identification | Chemical name/Classification | | Concentration |
|-------------------|---|--|---------------|
| CAS: 68082-29-1 | Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine Aquatic Chronic 2: H411; Eye Dam. 1: H318; Skin Irrit. 2: H315; Skin Sens. 1A: H317 - Danger | | 15 - <25 % |
| CAS: 100-51-6 | benzyl alcohol Acute Tox. 4: H302+H332 - Warning | | 15 - <25 % |
| CAS: 2414889-39-5 | [Fatty acids, C18-unsaturated, dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine] reaction products with bisphenol A diglycidyl ether Aquatic Chronic 2: H411; Eye Dam. 1: H318; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Danger | | 15 - <25 % |
| CAS: 2855-13-2 | 3-aminomethyl-3,5,5-trimethylcyclohexylamine Acute Tox. 4: H302; Eye Dam. 1: H318; Skin Corr. 1B: H314; Skin Sens. 1A: H317 - Danger | | 5 - <10 % |
| CAS: 1477-55-0 | m-phenylenebis(methylamine) Acute Tox. 4: H302+H332; Aquatic Chronic 3: H412; Eye Dam. 1: H318; Skin Corr. 1B: H314; Skin Sens. 1B: H317; EUH071 - Danger | | 5 - <10 % |
| CAS: 80-05-7 | Bisphenol A Eye Dam. 1: H318; Repr. 1B: H360F; Skin Sens. 1: H317; STOT SE 3: H335 - Danger | | 5 - <10 % |
| CAS: 68082-29-1 | [Fatty acids, C18-unsaturated, dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine] reaction products with glycidyl tolyl ether Aquatic Chronic 2: H411; Eye Dam. 1: H318; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Danger | | 5 - <10 % |
| CAS: 90-72-2 | 2,4,6-tris(dimethylaminomethyl)phenol Eye Dam. 1: H318; Skin Corr. 1C: H314 - Danger | | 5 - <10 % |
| CAS: 109-55-7 | 3-aminopropyldimethylamine Acute Tox. 4: H302+H312; Flam. Liq. 3: H226; Skin Corr. 1B: H314; Skin Sens. 1B: H317; STOT SE 3: H335 - Danger | | 5 - <10 % |
| CAS: 69-72-7 | Salicylic acid Acute Tox. 4: H302; Eye Dam. 1: H318; Repr. 2: H361d - Danger | | 3 - <5 % |
| CAS: 919-30-2 | 3-aminopropyltriethoxysilane Acute Tox. 4: H302; Skin Corr. 1B: H314; Skin Sens. 1: H317 - Danger | | 1 - <3 % |

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

| Identification | Specific concentration limit |
|--|---------------------------------------|
| 3-aminomethyl-3,5,5-trimethylcyclohexylamine CAS: 2855-13-2 | % (w/w) >=0.001: Skin Sens. 1A - H317 |

SECTION 4: FIRST-AID MEASURES

4.1 Description of first aid measures:

Request medical assistance immediately, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Request immediate medical assistance, showing the SDS of this product. Do not induce vomiting, because its expulsion from the stomach can be hazardous to the mucus of the main digestive tract, and also risk damage to the respiratory system through inhalation. Rinse out the mouth and throat, as they may have been affected during ingestion. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Keep the person affected at rest.

4.2 Most important symptoms and effects, both acute and delayed

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIRE-FIGHTING MEASURES

| | |
|---|--|
| 5.1 Extinguishing media: | |
| Suitable extinguishing media: | Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. |
| Unsuitable extinguishing media | Non-applicable |
| 5.2 Special hazards arising from the substance or mixture: | As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk. |
| 5.3 Advice for firefighters: | Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...). |
| Additional provisions: | Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium. |

SECTION 6: ACCIDENTAL RELEASE MEASURES

| | |
|---|---|
| 6.1 Personal precautions, protective equipment and emergency procedures: | |
| For non-emergency personnel: | Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground. |
| For emergency responders: | Wear protective equipment. Keep unprotected persons away. See section 8. |
| 6.2 Environmental precautions: | Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment. |
| 6.3 Methods and material for containment and cleaning up: | It is recommended: Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13. |
| 6.4 Reference to other sections: | See sections 8 and 13. |

SECTION 7: HANDLING AND STORAGE

| | |
|--|--|
| 7.1 Precautions for safe handling: | <p>A.- General precautions for safe use Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and destroy using safe methods (section 6).</p> <p>B.- Technical recommendations for the prevention of fires and explosions Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.</p> <p>C.- Technical recommendations on general occupational hygiene PREGNANT WOMEN SHOULD NOT BE EXPOSED TO THIS PRODUCT. Transfer in designated areas that comply with the necessary safety conditions (emergency showers and eyewash stations in close proximity), using personal protection equipment, especially on the hands and face (See section 8). Limit manual transfers to small amounts only. Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.</p> <p>D.- Technical recommendations to prevent environmental risks Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.</p> |
| 7.2 Conditions for safe storage, including any Incompatibilities: | <p>A.- Technical measures for storage Minimum Temp: 2 °C Maximum Temp: 35 °C Maximum time: 24 Months</p> <p>B.- General conditions for storage Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5</p> |
| 7.3 Specific end use(s) | Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product. |

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace:

EH40/2005 Workplace exposure limits, fourth edition, published 2020:

| Identification | Occupational exposure limits | | |
|-----------------------------|------------------------------|--|---------------------|
| | WEL (8h) | | 2 mg/m ³ |
| | WEL (15 min) | | |
| Bisphenol A CAS: 80-05-7 | | | |

DNEL (Workers):

| Identification | | Short exposure | | Long exposure | |
|---|------------|-----------------------|---------------------|------------------------|-------------------------|
| | | Systemic | Local | Systemic | Local |
| Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine CAS: 68082-29-1 EC: 500-191-5 | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| | Dermal | Non-applicable | Non-applicable | 1.1 mg/kg | Non-applicable |
| | Inhalation | Non-applicable | Non-applicable | 3.9 mg/m ³ | Non-applicable |
| benzyl alcohol CAS: 100-51-6 EC: 202-859-9 | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| | Dermal | 40 mg/kg | Non-applicable | 8 mg/kg | Non-applicable |
| | Inhalation | 110 mg/m ³ | Non-applicable | 22 mg/m ³ | Non-applicable |
| 3-aminomethyl-3,5,5-trimethylcyclohexylamine CAS: 2855-13-2 EC: 220-666-8 | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| | Dermal | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| | Inhalation | Non-applicable | Non-applicable | Non-applicable | 0.073 mg/m ³ |
| m-phenylenebis(methylamine) CAS: 1477-55-0 EC: 216-032-5 | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| | Dermal | Non-applicable | Non-applicable | 0.33 mg/kg | Non-applicable |
| | Inhalation | Non-applicable | Non-applicable | 1.2 mg/m ³ | 0.2 mg/m ³ |
| Bisphenol A CAS: 80-05-7 EC: 201-245-8 | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| | Dermal | 0.031 mg/kg | Non-applicable | 0.031 mg/kg | Non-applicable |
| | Inhalation | 2 mg/m ³ | 2 mg/m ³ | 2 mg/m ³ | 2 mg/m ³ |
| 2,4,6-tris(dimethylaminomethyl)phenol CAS: 90-72-2 EC: 202-013-9 | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| | Dermal | Non-applicable | Non-applicable | 0.15 mg/kg | Non-applicable |
| | Inhalation | Non-applicable | Non-applicable | 0.53 mg/m ³ | Non-applicable |
| 3-aminopropyldimethylamine CAS: 109-55-7 EC: 203-680-9 | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| | Dermal | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| | Inhalation | Non-applicable | Non-applicable | 1.2 mg/m ³ | Non-applicable |
| Salicylic acid CAS: 69-72-7 EC: 200-712-3 | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| | Dermal | Non-applicable | Non-applicable | 2.3 mg/kg | Non-applicable |
| | Inhalation | Non-applicable | Non-applicable | 5 mg/m ³ | 5 mg/m ³ |
| 3-aminopropyltriethoxysilane CAS: 919-30-2 EC: 213-048-4 | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| | Dermal | Non-applicable | Non-applicable | 2 mg/kg | Non-applicable |
| | Inhalation | Non-applicable | Non-applicable | 14 mg/m ³ | Non-applicable |

DNEL (General population):

| Identification | | Short exposure | | Long exposure | |
|---|------------|----------------------|---------------------|------------------------|---------------------|
| | | Systemic | Local | Systemic | Local |
| Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine CAS: 68082-29-1 EC: 500-191-5 | Oral | Non-applicable | Non-applicable | 0.56 mg/kg | Non-applicable |
| | Dermal | Non-applicable | Non-applicable | 0.56 mg/kg | Non-applicable |
| | Inhalation | Non-applicable | Non-applicable | 0.97 mg/m ³ | Non-applicable |
| benzyl alcohol CAS: 100-51-6 EC: 202-859-9 | Oral | 20 mg/kg | Non-applicable | 4 mg/kg | Non-applicable |
| | Dermal | 20 mg/kg | Non-applicable | 4 mg/kg | Non-applicable |
| | Inhalation | 27 mg/m ³ | Non-applicable | 5.4 mg/m ³ | Non-applicable |
| 3-aminomethyl-3,5,5-trimethylcyclohexylamine CAS: 2855-13-2 EC: 220-666-8 | Oral | Non-applicable | Non-applicable | 0.526 mg/kg | Non-applicable |
| | Dermal | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| | Inhalation | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| Bisphenol A CAS: 80-05-7 EC: 201-245-8 | Oral | 0.004 mg/kg | Non-applicable | 0.004 mg/kg | Non-applicable |
| | Dermal | 0.002 mg/kg | Non-applicable | 0.002 mg/kg | Non-applicable |
| | Inhalation | 1 mg/m ³ | 1 mg/m ³ | 1 mg/m ³ | 1 mg/m ³ |
| 2,4,6-tris(dimethylaminomethyl)phenol CAS: 90-72-2 EC: 202-013-9 | Oral | Non-applicable | Non-applicable | 0.075 mg/kg | Non-applicable |
| | Dermal | Non-applicable | Non-applicable | 0.075 mg/kg | Non-applicable |
| | Inhalation | Non-applicable | Non-applicable | 0.13 mg/m ³ | Non-applicable |
| Salicylic acid CAS: 69-72-7 EC: 200-712-3 | Oral | 4 mg/kg | Non-applicable | 1 mg/kg | Non-applicable |
| | Dermal | Non-applicable | Non-applicable | 1 mg/kg | Non-applicable |
| | Inhalation | Non-applicable | Non-applicable | 4 mg/m ³ | Non-applicable |
| 3-aminopropyltriethoxysilane CAS: 919-30-2 EC: 213-048-4 | Oral | Non-applicable | Non-applicable | 1 mg/kg | Non-applicable |
| | Dermal | Non-applicable | Non-applicable | 1 mg/kg | Non-applicable |
| | Inhalation | Non-applicable | Non-applicable | 3.5 mg/m ³ | Non-applicable |

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continue)

PNEC:


| Identification | | | | |
|---|--------------|----------------|-------------------------|----------------|
| Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine CAS: 68082-29-1 EC: 500-191-5 | STP | 3.84 mg/L | Fresh water | 0.004 mg/L |
| | Soil | 86.78 mg/kg | Marine water | 0 mg/L |
| | Intermittent | 0.043 mg/L | Sediment (Fresh water) | 434.02 mg/kg |
| | Oral | Non-applicable | Sediment (Marine water) | 43.4 mg/kg |
| benzyl alcohol CAS: 100-51-6 EC: 202-859-9 | STP | 39 mg/L | Fresh water | 1 mg/L |
| | Soil | 0.456 mg/kg | Marine water | 0.1 mg/L |
| | Intermittent | 2.3 mg/L | Sediment (Fresh water) | 5.27 mg/kg |
| | Oral | Non-applicable | Sediment (Marine water) | 0.527 mg/kg |
| 3-aminomethyl-3,5,5-trimethylcyclohexylamine CAS: 2855-13-2 EC: 220-666-8 | STP | 3.18 mg/L | Fresh water | 0.06 mg/L |
| | Soil | 1.121 mg/kg | Marine water | 0.006 mg/L |
| | Intermittent | 0.23 mg/L | Sediment (Fresh water) | 5.784 mg/kg |
| | Oral | Non-applicable | Sediment (Marine water) | 0.578 mg/kg |
| m-phenylenebis(methylamine) CAS: 1477-55-0 EC: 216-032-5 | STP | 10 mg/L | Fresh water | 0.094 mg/L |
| | Soil | 2.44 mg/kg | Marine water | 0.009 mg/L |
| | Intermittent | 0.152 mg/L | Sediment (Fresh water) | 12.4 mg/kg |
| | Oral | Non-applicable | Sediment (Marine water) | 1.24 mg/kg |
| Bisphenol A CAS: 80-05-7 EC: 201-245-8 | STP | 320 mg/L | Fresh water | 0.018 mg/L |
| | Soil | 3.7 mg/kg | Marine water | 0.018 mg/L |
| | Intermittent | 0.011 mg/L | Sediment (Fresh water) | 1.2 mg/kg |
| | Oral | Non-applicable | Sediment (Marine water) | 0.24 mg/kg |
| 2,4,6-tris(dimethylaminomethyl)phenol CAS: 90-72-2 EC: 202-013-9 | STP | 0.2 mg/L | Fresh water | 0.046 mg/L |
| | Soil | 0.025 mg/kg | Marine water | 0.005 mg/L |
| | Intermittent | 0.46 mg/L | Sediment (Fresh water) | 0.262 mg/kg |
| | Oral | Non-applicable | Sediment (Marine water) | 0.026 mg/kg |
| 3-aminopropyl dimethylamine CAS: 109-55-7 EC: 203-680-9 | STP | 10 mg/L | Fresh water | 0.073 mg/L |
| | Soil | 0.104 mg/kg | Marine water | 0.007 mg/L |
| | Intermittent | 0.34 mg/L | Sediment (Fresh water) | 0.735 mg/kg |
| | Oral | Non-applicable | Sediment (Marine water) | 0.073 mg/kg |
| Salicylic acid CAS: 69-72-7 EC: 200-712-3 | STP | 162 mg/L | Fresh water | 0.2 mg/L |
| | Soil | 0.166 mg/kg | Marine water | 0.02 mg/L |
| | Intermittent | 1 mg/L | Sediment (Fresh water) | 1.42 mg/kg |
| | Oral | Non-applicable | Sediment (Marine water) | 0.142 mg/kg |
| 3-aminopropyltriethoxysilane CAS: 919-30-2 EC: 213-048-4 | STP | 1.3 mg/L | Fresh water | Non-applicable |
| | Soil | Non-applicable | Marine water | Non-applicable |
| | Intermittent | Non-applicable | Sediment (Fresh water) | Non-applicable |
| | Oral | Non-applicable | Sediment (Marine water) | Non-applicable |

8.2 Exposure controls:


A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<UKCA marking>>. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B. Respiratory protection

| Pictogram | PPE | Remarks |
|---|-----------------------------------|--|
|  Mandatory respiratory tract protection | Filter mask for gases and vapours | Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment. |


C. Specific protection for the hands

| Pictogram | PPE | Remarks |
|--|--|--|
|  Mandatory hand protection | Chemical protective gloves (Material: Nitrile, Breakthrough time: > 480 min, Thickness: 0.35 mm) | Replace the gloves at any sign of deterioration. |



As the product is a mixture of several substances, the resistance of the glove material cannot be calculated in advance with total reliability and has therefore to be checked prior to the application.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continue)



D. Eye and face protection

| Pictogram | PPE | Remarks |
|--|-------------|--|
|  Mandatory face protection | Face shield | Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. |

E. Body protection

| Pictogram | PPE | Remarks |
|---|---|---|
|  Mandatory complete body protection | Disposable clothing for protection against chemical risks | For professional use only. Clean periodically according to the manufacturer's instructions. |
|  Mandatory foot protection | Safety footwear for protection against chemical risk | Replace boots at any sign of deterioration. |

F. Additional emergency measures

| Emergency measure | Standards | Emergency measure | Standards |
|---|---|--|--|
|  Emergency shower | ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011 |  Eyewash stations | DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 |

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

For complete information see the product datasheet.

Appearance

Physical state at 20 °C: Liquid
 Appearance: Fluid
 Colour: Light yellow
 Odour: Aminic
 Odour threshold: Non-applicable *

Volatility:

Boiling point at atmospheric pressure: ca. 135 °C
 Vapour pressure at 20 °C: 7 Pa
 Vapour pressure at 50 °C: 484.49 Pa (0.48 kPa)
 Evaporation rate at 20 °C: Non-applicable *

Product description:

Density at 20 °C: 1020 kg/m³
 Relative density at 20 °C: 1.01 - 1.03
 Dynamic viscosity at 20 °C: 1000 cP
 Kinematic viscosity at 20 °C: Non-applicable *
 Kinematic viscosity at 40 °C: Non-applicable *
 Concentration: Non-applicable *
 pH: Non-applicable *
 Vapour density at 20 °C: Non-applicable *
 Partition coefficient n-octanol/water 20 °C: Non-applicable *
 Solubility in water at 20 °C: Non-applicable *
 Solubility properties: Immiscible
 Decomposition temperature: Non-applicable *
 Melting point/freezing point: Non-applicable *

Flammability:

Flash Point: 100 °C
 Flammability (solid, gas): Non-applicable *
 Autoignition temperature: 380 °C
 Lower flammability limit: 1.3 % Volume
 Upper flammability limit: 13 % Volume

*Not relevant due to the nature of the product, not providing information property of its hazards

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continue)

Particle characteristics

Median equivalent diameter: Non-applicable

9.2 Other information

Information with regard to physical hazard classes:

Explosive properties: Non-applicable *
 Oxidising properties: Non-applicable *
 Corrosive to metals: Non-applicable *
 Heat of combustion: Non-applicable *
 Aerosols-total percentage (by mass) of flammable components: Non-applicable *

Other safety characteristics:

Surface tension at 20 °C: Non-applicable *
 Refraction index: Non-applicable *

*Not relevant due to the nature of the product, not providing information property of its hazards

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity: No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability: Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions: Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

| Shock and friction | Contact with air | Increase in temperature | Sunlight | Humidity |
|--------------------|------------------|-------------------------|------------|----------------|
| Not applicable | Not applicable | Precaution | Precaution | Not applicable |

10.5 Incompatible materials:

| Acids | Water | Oxidising materials | Combustible materials | Others |
|--------------------|----------------|---------------------|-----------------------|-------------------------------|
| Avoid strong acids | Not applicable | Precaution | Not applicable | Avoid alkalis or strong bases |

10.6 Hazardous decomposition products:

Contains substances which require external energy for spontaneous decomposition. Form explosive peroxides when distilled, evaporated or otherwise concentrated.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure.:

A- Ingestion (acute effect):

- Acute toxicity: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- Corrosivity/Irritability: Corrosive product, if it is swallowed causes burns destroying the tissues. For more information about secondary effects from skin contact see section 2.

B- Inhalation (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory Tract

C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Above all, skin contact may occur as fabrics of all thicknesses can be destroyed, resulting in burns.
- For more information on the secondary effects see section 2.
- Contact with the eyes: Produces serious eye damage after contact.

D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
- IARC: Non-applicable
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- Reproductive toxicity: May impair fertility. Suspected to damage the foetus

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.

F- Specific target organ toxicity (STOT) - single exposure:

- Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

H- Aspiration hazard:

- Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Non-applicable

SECTION 11: TOXICOLOGICAL INFORMATION (continue)**Specific toxicology information on the substances:**

| Identification | Acute toxicity | | Genus |
|--|-----------------|-------------------|--------|
| Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine CAS: 68082-29-1 | LD50 oral | >5000 mg/kg | |
| | LD50 dermal | >5000 mg/kg | |
| | LC50 inhalation | >20 mg/L | |
| benzyl alcohol CAS: 100-51-6 | LD50 oral | 500 mg/kg | Rat |
| | LD50 dermal | 2500 mg/kg | |
| | LC50 inhalation | 11 mg/L (ATEi) | |
| [Fatty acids, C18-unsaturated, dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine] reaction products with bisphenol A diglycidyl ether CAS: 2414889-39-5 | LD50 oral | >5000 mg/kg | |
| | LD50 dermal | >5000 mg/kg | |
| | LC50 inhalation | Non-applicable | |
| 3-aminomethyl-3,5,5-trimethylcyclohexylamine CAS: 2855-13-2 | LD50 oral | 1030 mg/kg | Rat |
| | LD50 dermal | >5000 mg/kg | |
| | LC50 inhalation | >20 mg/L | |
| m-phenylenebis(methylamine) CAS: 1477-55-0 | LD50 oral | 1090 mg/kg | Rat |
| | LD50 dermal | >5000 mg/kg | |
| | LC50 inhalation | 11 mg/L (ATEi) | |
| Bisphenol A CAS: 80-05-7 | LD50 oral | 5100 mg/kg | Rat |
| | LD50 dermal | 3000 mg/kg | Rabbit |
| | LC50 inhalation | >5 mg/L | |
| [Fatty acids, C18-unsaturated, dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine] reaction products with glycidyl tolyl ether CAS: 68082-29-1 | LD50 oral | >5000 mg/kg | |
| | LD50 dermal | >5000 mg/kg | |
| | LC50 inhalation | Non-applicable | |
| 2,4,6-tris(dimethylaminomethyl)phenol CAS: 90-72-2 | LD50 oral | 2169 mg/kg | Rat |
| | LD50 dermal | >5000 mg/kg | |
| | LC50 inhalation | >20 mg/L | |
| 3-aminopropyl dimethylamine CAS: 109-55-7 | LD50 oral | 1870 mg/kg | Rat |
| | LD50 dermal | 1100 mg/kg (ATEi) | |
| | LC50 inhalation | >20 mg/L | |
| Salicylic acid CAS: 69-72-7 | LD50 oral | 891 mg/kg | Rat |
| | LD50 dermal | >5000 mg/kg | |
| | LC50 inhalation | >5 mg/L | |
| 3-aminopropyltriethoxysilane CAS: 919-30-2 | LD50 oral | 1491 mg/kg | Rat |
| | LD50 dermal | 4000 mg/kg | Rabbit |
| | LC50 inhalation | >20 mg/L | |

Acute Toxicity Estimate (ATE mix):

| | ATE mix | Ingredient(s) of unknown toxicity |
|------------|---------------------------------------|-----------------------------------|
| Oral | 1680.25 mg/kg (Calculation method) | 0 % |
| Dermal | 18333.33 mg/kg (Calculation method) | 0 % |
| Inhalation | 42.31 mg/L (4 h) (Calculation method) | 0 % |

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity**Acute toxicity:**

| Identification | Concentration | | Species | Genus |
|--|---------------|---------------------|---------------------------------|------------|
| Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine CAS: 68082-29-1 | LC50 | 7 mg/L (96 h) | Danio rerio | Fish |
| | EC50 | 7 mg/L (48 h) | Daphnia magna | Crustacean |
| | EC50 | 4 mg/L (72 h) | Pseudokirchneriella subcapitata | Algae |
| benzyl alcohol CAS: 100-51-6 | LC50 | 646 mg/L (48 h) | | Fish |
| | EC50 | 400 mg/L (24 h) | | Crustacean |
| | EC50 | 79 mg/L (3 h) | | Algae |
| [Fatty acids, C18-unsaturated, dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine] reaction products with bisphenol A diglycidyl ether CAS: 2414889-39-5 | LC50 | >1 - 10 mg/L (96 h) | | Fish |
| | EC50 | >1 - 10 mg/L (48 h) | | Crustacean |
| | EC50 | >1 - 10 mg/L (72 h) | | Algae |
| 3-aminomethyl-3,5,5-trimethylcyclohexylamine CAS: 2855-13-2 | LC50 | 110 mg/L (96 h) | Leuciscus idus | Fish |
| | EC50 | 388 mg/L (48 h) | N/A | Crustacean |
| | EC50 | Non-applicable | | |
| m-phenylenebis(methylamine) CAS: 1477-55-0 | LC50 | 88 mg/L (96 h) | Oryzias latipes | Fish |
| | EC50 | 15 mg/L (48 h) | Daphnia magna | Crustacean |
| | EC50 | 20 mg/L (72 h) | Selenastrum capricornutum | Algae |

SECTION 12: ECOLOGICAL INFORMATION (continue)

| Identification | Concentration | Species | Genus |
|--|--------------------------|------------------------|------------|
| Bisphenol A CAS: 80-05-7 | LC50 4.6 mg/L (96 h) | Pimephales promelas | Fish |
| | EC50 3.8 mg/L (48 h) | Daphnia magna | Crustacean |
| | EC50 Non-applicable | | |
| [Fatty acids, C18-unsaturated, dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine] reaction products with glycidyl tolyl ether CAS: 68082-29-1 | LC50 >1 - 10 mg/L (96 h) | | Fish |
| | EC50 >1 - 10 mg/L (48 h) | | Crustacean |
| | EC50 >1 - 10 mg/L (72 h) | | Algae |
| 3-aminopropyltriethoxysilane CAS: 919-30-2 | LC50 934 mg/L (96 h) | Danio rerio | Fish |
| | EC50 331 mg/L (48 h) | N/A | Crustacean |
| | EC50 603 mg/L (72 h) | Desmodemus subspicatus | Algae |

Chronic toxicity:

| Identification | Concentration | Species | Genus |
|--|---------------------|---------------------|------------|
| benzyl alcohol CAS: 100-51-6 | NOEC 48.897 mg/L | N/A | Fish |
| | NOEC 51 mg/L | Daphnia magna | Crustacean |
| 3-aminomethyl-3,5,5-trimethylcyclohexylamine CAS: 2855-13-2 | NOEC Non-applicable | | |
| | NOEC 3 mg/L | Daphnia magna | Crustacean |
| m-phenylenebis(methylamine) CAS: 1477-55-0 | NOEC Non-applicable | | |
| | NOEC 4.7 mg/L | Daphnia magna | Crustacean |
| Bisphenol A CAS: 80-05-7 | NOEC 0.16 mg/L | Pimephales promelas | Fish |
| | NOEC 3.16 mg/L | Daphnia magna | Crustacean |
| 3-aminopropyl dimethylamine CAS: 109-55-7 | NOEC Non-applicable | | |
| | NOEC 3.64 mg/L | Daphnia magna | Crustacean |

12.2 Persistence and degradability:

Substance-specific information:

| Identification | Degradability | | Biodegradability | |
|--|---------------|----------------|------------------|----------------|
| | | | | |
| benzyl alcohol CAS: 100-51-6 | BOD5 | Non-applicable | Concentration | 100 mg/L |
| | COD | Non-applicable | Period | 14 days |
| | BOD5/COD | Non-applicable | % Biodegradable | 94 % |
| 3-aminomethyl-3,5,5-trimethylcyclohexylamine CAS: 2855-13-2 | BOD5 | Non-applicable | Concentration | 7 mg/L |
| | COD | Non-applicable | Period | 28 days |
| | BOD5/COD | Non-applicable | % Biodegradable | 8 % |
| m-phenylenebis(methylamine) CAS: 1477-55-0 | BOD5 | Non-applicable | Concentration | 14 mg/L |
| | COD | Non-applicable | Period | 28 days |
| | BOD5/COD | Non-applicable | % Biodegradable | 49 % |
| Bisphenol A CAS: 80-05-7 | BOD5 | Non-applicable | Concentration | 100 mg/L |
| | COD | Non-applicable | Period | 14 days |
| | BOD5/COD | Non-applicable | % Biodegradable | 0 % |
| 3-aminopropyltriethoxysilane CAS: 919-30-2 | BOD5 | Non-applicable | Concentration | Non-applicable |
| | COD | Non-applicable | Period | 28 days |
| | BOD5/COD | Non-applicable | % Biodegradable | 67 % |

12.3 Bioaccumulative potential

Substance-specific information:

| Identification | Bioaccumulation potential | |
|--|---------------------------|----------|
| | | |
| Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine CAS: 68082-29-1 | BCF | 77 |
| | Pow Log | |
| | Potential | Moderate |
| benzyl alcohol CAS: 100-51-6 | BCF | 0.3 |
| | Pow Log | 1.1 |
| | Potential | Low |
| m-phenylenebis(methylamine) CAS: 1477-55-0 | BCF | 3 |
| | Pow Log | 0.18 |
| | Potential | Low |
| Bisphenol A CAS: 80-05-7 | BCF | 67 |
| | Pow Log | 3.32 |
| | Potential | Moderate |
| 2,4,6-tris(dimethylaminomethyl)phenol CAS: 90-72-2 | BCF | |
| | Pow Log | 0.22 |
| | Potential | |

SECTION 12: ECOLOGICAL INFORMATION (continue)**12.4 Mobility in soil:**

| Identification | Absorption/desorption | | Volatility | |
|--|-----------------------|--------------------------|------------|--------------------------------|
| benzyl alcohol CAS: 100-51-6 | Koc | Non-applicable | Henry | Non-applicable |
| | Conclusion | Non-applicable | Dry soil | Non-applicable |
| | Surface tension | 3.679E-2 N/m (25 °C) | Moist soil | Non-applicable |
| 3-aminomethyl-3,5,5-trimethylcyclohexylamine CAS: 2855-13-2 | Koc | 928 | Henry | 4.46E-4 Pa·m ³ /mol |
| | Conclusion | Low | Dry soil | No |
| | Surface tension | Non-applicable | Moist soil | No |
| m-phenylenebis(methylamine) CAS: 1477-55-0 | Koc | 1300 | Henry | Non-applicable |
| | Conclusion | Low | Dry soil | Non-applicable |
| | Surface tension | Non-applicable | Moist soil | Non-applicable |
| Bisphenol A CAS: 80-05-7 | Koc | 796 | Henry | 1.013E-6 a·m ³ /mol |
| | Conclusion | Low | Dry soil | No |
| | Surface tension | 3.76E-3 N/m (364.43 °C) | Moist soil | No |
| Salicylic acid CAS: 69-72-7 | Koc | Non-applicable | Henry | Non-applicable |
| | Conclusion | Non-applicable | Dry soil | Non-applicable |
| | Surface tension | 2.444E-2 N/m (207.25 °C) | Moist soil | Non-applicable |

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods:**

| Code | Description | Waste class |
|-----------|---|-------------|
| 20 01 27* | paint, inks, adhesives and resins containing hazardous substances | Dangerous |

Type of waste:

HP14 Ecotoxic, HP6 Acute Toxicity, HP10 Toxic for reproduction, HP13 Sensitising, HP8 Corrosive

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance The Waste Regulations 2011, 2011 No. 988. As under 15 01 of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of UK REACH the provisions related to waste management are stated:

UK legislation: The Waste Regulations 2011.

SECTION 14: TRANSPORT INFORMATION**Transport of dangerous goods by land:**

With regard to ADR 2021 and RID 2021:



| | |
|--|---|
| 14.1 UN number: | UN2735 |
| 14.2 UN proper shipping name: | POLYAMINES, LIQUID, CORROSIVE, N.O.S. (3-aminomethyl-3,5,5-trimethylcyclohexylamine; Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine) |
| 14.3 Transport Hazard Class(es): | 8 |
| Label(s): | 8 |
| 14.4 Packing group | II |
| 14.5 Environmental hazards: | Yes |
| 14.6 Special precautions for user | |
| Tunnel restriction code: | E |
| Physico-Chemical properties: | see section 9 |
| Limited quantities: | 1 L |
| 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code | Non-applicable |

Transport of dangerous goods by sea:

With regard to IMDG 40-20:



| | |
|---|---|
| 14.1 UN number: | UN2735 |
| 14.2 UN proper shipping name: | POLYAMINES, LIQUID, CORROSIVE, N.O.S. (3-aminomethyl-3,5,5-trimethylcyclohexylamine; Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine) |
| 14.3 Transport Hazard Class(es): | 8 |
| Label(s): | 8 |
| 14.4 Packing group | II |
| 14.5 Marine pollutant: | Yes |

SECTION 14: TRANSPORT INFORMATION (continue)

| | | |
|-------------|--|----------------|
| 14.6 | Special precautions for user | |
| | Special regulations: | 274 |
| | EmS Codes: | F-A, S-B |
| | Physico-Chemical properties: | see section 9 |
| | Limited quantities: | 1 L |
| | Segregation group: | SGG18 |
| 14.7 | Transport in bulk according to Annex II of Marpol and the IBC Code: | Non-applicable |

Transport of dangerous goods by air:

With regard to IATA/ICAO 2022:



| | | |
|-------------|--|---|
| 14.1 | UN number: | UN2735 |
| 14.2 | UN proper shipping name: | POLYAMINES, LIQUID, CORROSIVE, N.O.S. (3-aminomethyl-3,5,5-trimethylcyclohexylamine; Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine) |
| 14.3 | Transport Hazard Class(es): | 8 |
| | Label(s): | 8 |
| 14.4 | Packing group | II |
| 14.5 | Environmental hazards: | Yes |
| 14.6 | Special precautions for user | |
| | Physico-Chemical properties: | see section 9 |
| 14.7 | Transport in bulk according to Annex II of Marpol and the IBC Code: | Non-applicable |

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Substances listed in UK candidate list of substances of very high concern (SVHCs): *Bisphenol A (80-05-7)*
- Substances listed in UK REACH Authorisation List (Annex 14): Non-applicable

The Control of Major Accident Hazards Regulations 2015:

| Section | Description | Lower-tier requirement | Upper-tier requirements |
|---------|-----------------------|------------------------|-------------------------|
| E2 | ENVIRONMENTAL HAZARDS | 200 | 500 |

Restrictions to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII UK REACH, etc):

Product classified hazardous under the CMR. Sale and distribution to the general public is prohibited. Due to its CMR category, it is essential to apply the specific measures for workplace hazard prevention covered in articles 4 and 5 of the 2004/37/EC Directive and later modifications.

Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Contains Bisphenol A. Shall not be placed on the market in thermal paper in a concentration equal to or greater than 0,02 % by weight after 2 January 2020.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

- The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.
- The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020.
- Control of Substances Hazardous to Health Regulations 2002 (as amended)
- EH40/2005 Workplace exposure limits.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.

Texts of the legislative phrases mentioned in section 2:

- H302: Harmful if swallowed.
- H314: Causes severe skin burns and eye damage.
- H318: Causes serious eye damage.
- H411: Toxic to aquatic life with long lasting effects.
- H360Fd: May damage fertility. Suspected of damaging the unborn child.
- H317: May cause an allergic skin reaction.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3.

SECTION 16: OTHER INFORMATION (continue)**GB CLP Regulation:**

Acute Tox. 4: H302 - Harmful if swallowed.
Acute Tox. 4: H302+H312 - Harmful if swallowed or in contact with skin.
Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled.
Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Eye Dam. 1: H318 - Causes serious eye damage.
Flam. Liq. 3: H226 - Flammable liquid and vapour.
Repr. 1B: H360F - May damage fertility.
Repr. 2: H361d - Suspected of damaging the unborn child.
Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
Skin Corr. 1C: H314 - Causes severe skin burns and eye damage.
Skin Irrit. 2: H315 - Causes skin irritation.
Skin Sens. 1: H317 - May cause an allergic skin reaction.
Skin Sens. 1A: H317 - May cause an allergic skin reaction.
Skin Sens. 1B: H317 - May cause an allergic skin reaction.
STOT SE 3: H335 - May cause respiratory irritation.

Classification procedure:

Acute Tox. 4: Calculation method
Skin Corr. 1B: Calculation method
Eye Dam. 1: Calculation method
Aquatic Chronic 2: Calculation method
Repr. 1A: Calculation method
Skin Sens. 1A: Calculation method

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

<http://echa.europa.eu>
<http://eur-lex.europa.eu>

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road
IMDG: International maritime dangerous goods code
IATA: International Air Transport Association
ICAO: International Civil Aviation Organisation
COD: Chemical Oxygen Demand
BOD5: 5day biochemical oxygen demand
BCF: Bioconcentration factor
LD50: Lethal Dose 50
LC50: Lethal Concentration 50
EC50: Effective concentration 50
LogPOW: Octanolwater partition coefficient
Koc: Partition coefficient of organic carbon
UFI: unique formula identifier
IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at UK, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

Rev: 09/04/2025

Version 1

Polycote UK LLP

01234 846400 | uksales@polycote.com | www.polycote.com

Page 12 of 12