

## MATERIAL SAFETY DATA SHEET

337 18XX

**Flortex PU Cove Mix – Part A**

"maintenance made easy"

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE OR PREPARATION AND THE COMPANY**

Product Name: **FLORTEX PU COVE MIX – PART A**  
 Company Name: Polycote UK  
 Centre Point • Wolseley Road  
 Woburn Road Industrial Estate  
 Kempston • Beds MK42 7EF  
 Telephone Number: 01234 846400

**SECTION 2: HAZARDS IDENTIFICATION**

Main hazards: No Significant Hazard.  
 Risk phrases: No Significant Hazard.

**SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**

Chemical Name:	Index No:	CAS No:	EC No:	Conc. (%w/w)	Classification
Mono ethylene glycol (Ethane-1,2-diol particulate)	603-027-00-1	107-21-1	203-473-3	1 - 10%	Xn; R22 Acute Tox. 4: H302

**SECTION 4: FIRST AID MEASURES**

Inhalation: Seek medical attention.  
 Eye contact: Bathe the eye with running water for 15 minutes.  
 Skin contact: Wash off immediately with plenty of soap and water.  
 Ingestion: Rinse mouth thoroughly.  
**Most important symptoms and effects, both acute and delayed**  
 Inhalation: No irritation expected.  
 Eye contact: May cause irritation to eyes.  
 Skin contact: May cause irritation to skin.  
 Ingestion: No irritation expected.

**SECTION 5: FIRE FIGHTING MEASURES**

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.  
 Special hazards: No Significant Hazard.  
 Advice for firefighters: Protective equipment.

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

Personal precautions: See section 8 for further information.  
 Environmental precautions: Do not discharge into drains or rivers. Product slippery when on surfaces.  
 Methods for cleaning up: Sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

**SECTION 7: HANDLING AND STORAGE**

Handling: Use original container.  
 Storage: Keep container tightly closed and in a well-ventilated place. Store at temperatures between 10°C and 30°C.

**SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION**

Exposure Limit Values:  
 Mono ethylene glycol (Ethane-1,2-diol particulate)  
 WEL 8-hr limit ppm: – WEL 8-hr limit mg/m<sup>3</sup>: 10  
 WEL 15 min limit ppm: – WEL 15 min limit mg/m<sup>3</sup>: –  
 Mono ethylene glycol (Ethane-1,2-diol vapour)  
 WEL 8-hr limit ppm: 20 WEL 8-hr limit mg/m<sup>3</sup>: 52  
 WEL 15 min limit ppm: 40 WEL 15 min limit mg/m<sup>3</sup>: 104

Exposure controls:



Engineering controls: Keep in a cool, dry, well ventilated area.  
 Eye/face protection: Safety glasses with side-shields.  
 Skin/hand protection: Wear suitable gloves.  
 Other protection: Wear suitable protective clothing.

**SECTION 9: PHYSICAL & CHEMICAL PROPERTIES**

Description: Liquid  
 Colour: Various  
 Odour: Characteristic

**SECTION 10: STABILITY AND REACTIVITY**

Reactivity: No hazardous reactions if stored and handled as prescribed/indicated.  
 Chemical stability: Stable under normal temperature conditions.  
 Conditions to avoid: Heat.  
 Incompatible materials: Strong acids. Strong oxidising agents.  
 Haz. decomp. products: No decomposition if used according to specifications.

**SECTION 11: TOXICOLOGICAL INFORMATION**

Acute toxicity: No data is available on this product.  
 Skin corrosion/irritation: No Significant Hazard.  
 Serious eye damage/irritation: No irritation expected.  
 Respiratory or skin sensitisation: No data is available on this product.

**SECTION 12: ECOLOGICAL INFORMATION**

No data is available on this product.

**SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods: Completely empty the packaging and process it according to local legislation.

**SECTION 14: TRANSPORT INFORMATION**

Further information: Classification for transport purposes. Where no specific information is given the material is classed as non hazardous for transport.

**Polycote Flortex PU Cove Mix – Part A Cont.**

337 18XX

**SECTION 15: REGULATORY INFORMATION**

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

"REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC".

**SECTION 16: OTHER INFORMATION**

Text of risk phrases

in Section 3: R22 – Harmful if swallowed.

Text of hazard statements

in Section 3: Acute Tox. 4: H302 – Harmful if swallowed.

All the foregoing information should be regarded as being applicable to the uncured mixed product as well as to the individual components.

This material may form part of a multi component pack, and is supplied in the correct proportions for that pack. Please check all of the product labels to ensure that the correct components and pack sizes are being used. Select and use appropriate pack sizes to minimise waste and operator exposure, do not split packs. Use in batch order.

The Safety Data above is applicable to the product only as used according to the purposes and methods described on the relevant Technical Data Sheet, available from Polycote UK on request.

The information above is based on our present knowledge and is believed to be correct but does not purport to be all inclusive and should only be used as a guide. No warranty is implied with respect to the specification of the product. It is intended to describe the product solely in terms of its safety requirements and relates only to the specific material designed and may not be valid for such material used in combination with any other materials or in any process. This data does not constitute the users own assessment of workplace risk as required by other Health and Safety legislation, nor is it a sales specification or indication of suitability for any particular use. The user must satisfy himself as to the suitability of the product for his purpose. No legally valid contractual relationship is established by the above data, and Polycote UK shall not be held liable for any damage resulting from handling or from contact with the above product.

Date of Issue: June 2017

**Polycote UK**

Centre Point • Wolseley Road • Woburn Road Industrial Estate  
Kempston • Beds • MK42 7EF  
Technical Helpline: 01234 846400



## MATERIAL SAFETY DATA SHEET

337 18XX

## Flortex PU Cove Mix – Part B

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE OR PREPARATION AND THE COMPANY**

Product Name: **FLORTEX PU COVE MIX – PART B**  
 Company Name: Polycote UK  
 Centre Point • Wolseley Road  
 Woburn Road Industrial Estate  
 Kempston • Beds MK42 7EF  
 Telephone Number: 01234 846400

**SECTION 2: HAZARDS IDENTIFICATION**

Classification 1999/45/EC:  
 Xn; R20-40-42/43-48/20 Xi; R36/37/38  
 Symbols: Xn: Harmful.  
 Main hazards: Harmful by inhalation. Irritating to eyes, respiratory system and skin. Limited evidence of a carcinogenic effect. May cause sensitisation by inhalation and skin contact. May cause sensitisation by inhalation. Harmful: danger of serious damage to health by prolonged exposure through inhalation.  
 Classification EC 1272/2008:  
 Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319; Acute Tox. 4: H332; Resp. Sens. 1: H334; STOT SE 3: H335; Carc. 2: H351; STOT RE 2: H373.

Hazard pictograms:



Signal word: Danger  
 Hazard Statement: Skin Irrit. 2: H315 – Causes skin irritation.  
 Skin Sens. 1: H317 – May cause an allergic skin reaction.  
 Eye Irrit. 2: H319 – Causes serious eye irritation.  
 Acute Tox. 4: H332 – Harmful if inhaled.  
 Resp. Sens. 1: H334 – May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
 STOT SE 3: H335 – May cause respiratory irritation.  
 Carc. 2: H351 – Suspected of causing cancer.  
 STOT RE 2: H373 – May cause damage to organs through prolonged or repeated exposure.

Precautionary Statement Prevention:

P201 – Obtain special instructions before use.  
 P202 – Do not handle until all safety precautions have been read and understood.  
 P260 – Do not breathe dust/fume/gas/mist/vapours/spray.  
 P261 – Avoid breathing dust/fume/gas/mist/vapours/spray.  
 P264 – Wash thoroughly after handling.  
 P271 – Use only outdoors or in a well-ventilated area.  
 P272 – Contaminated work clothing should not be allowed out of the workplace.  
 P280 – Wear protective gloves/protective clothing/eye protection/face protection.  
 P284 – [In case of inadequate ventilation] wear respiratory protection.

Precautionary Statement Response:

P302+P352 – IF ON SKIN: Wash with plenty of water.  
 P304+P340 – IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P308+P313 – If exposed or concerned: Get medical advice/attention.  
 P312 – Call a POISON CENTER/doctor/if you feel unwell.  
 P314 – Get medical advice/attention if you feel unwell.  
 P321 – Specific treatment (see on this label).

P332+P313 – If skin irritation occurs: Get medical advice/attention.  
 P333+P313 – If skin irritation or rash occurs: Get medical advice/attention.  
 P337+P313 – If eye irritation persists: Get medical advice/attention.  
 P342+P311 – If experiencing respiratory symptoms: Call a POISON CENTRE/doctor.

Precautionary Statement Storage:

P403+P233 – Store in a well-ventilated place. Keep container tightly closed.  
 P405 – Store locked up.

**SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**

Chemical Name:	Index No:	CAS No:	EC No:	Conc. (%w/w)	Classification
Methylenediphenyl diisocyanate	615-005-00-9	26447-40-5	247-714-0	70 - 80%	Carc. Cat. 3; R40 Xn; R20-48/20 Xi; R36/37/38 R42/43
4,4'-Diphenylmethane-diisocyanate	615-005-00-9	9016-87-9	–	10 - 20%	
Methylenediphenyl diisocyanate	615-005-00-9	26447-40-5	247-714-0		Carc. 2: H351; Acute Tox. 4: H332; STOT RE 2: H373; Eye Irrit. 2: H319; STOT SE 3: H335; Skin Irrit. 2: H315; Resp. Sens. 1: H334; Skin Sens. 1: H317

**SECTION 4: FIRST AID MEASURES**

Inhalation: Keep patient calm. Move the exposed person to fresh air. Seek medical attention.  
 Eye contact: Immediately wash affected eyes for at least 15 minutes under running water with eyelids help open, consult an eye specialist.  
 Skin contact: After contact with skin, wash immediately with plenty of water and soap.  
 Ingestion: Immediately rinse mouth and then drink plenty of water, do not induce vomiting, seek medical attention.

**Most important symptoms and effects, both acute and delayed**

Eye contact: Irritating to eyes.

Skin contact: Irritating to skin.

**Indication of any immediate medical attention and special treatment needed**

Treatment:- Treat according to symptoms (decontamination, vital functions), no known specific antidote, administer corticosteroid dose aerosol to prevent pulmonary edema.

**SECTION 5: FIRE FIGHTING MEASURES**

Extinguishing media: Dry powder, carbon dioxide, alcohol-resistant foam, water spray.  
 Special hazards: Carbon dioxide, carbon monoxide, hydrogen cyanide, hydrocyanic acid, nitrogen oxides, isocyanate.  
 Advice for firefighters: Special protective equipment. Wear self-contained breathing apparatus and chemical-protective clothing.  
 Keep containers cool by spraying with water if exposed to fire. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

Personal precautions:	Use personal protective clothing. Ensure adequate ventilation. Use breathing apparatus if exposed to vapours/dust/aerosol.
Environmental precautions:	Do not empty into drains. Do not discharge into the subsoil/soil.
Methods for cleaning up:	For large amounts:- Pump off product. For residues;- Pick up with absorbent material (e.g sand, sawdust, general purpose binder). Dispose of absorbed material in accordance with regulations. Neutralize with a solution of 5-10% Sodium carbonate, 0.2-2% detergents and 90-95% water.

**SECTION 7: HANDLING AND STORAGE**

Handling:	Provide suitable exhaust ventilation at the processing machines. Ensure thorough ventilation of stores and work areas. Avoid aerosol formation. When handling heated product, vapours of the product should be ventilated and respiratory protection used. Wear respiratory protection when spraying. Danger of bursting when seal gastight. Protect against moisture. Products freshly manufactured from isocyanates can contain incompletely reacted isocyanates and other dangerous substances. Clean up contamination as soon as they occur. Provide basic employee training to prevent/minimize exposures.
Storage:	Keep away from water. Segregate from foods and animal feeds. Segregate from acids and bases. Suitable materials for containers; carbon steel (iron), High density polyethylene (HDPE), Low density polyethylene (LDPE), tin (tinplate), Stainless steel 1 4301 (V2). Unsuitable materials for containers;- paper, board. Further information on storage containers; Keep container tightly closed in cool, well-ventilated place. Protect against moisture. Formation of CO <sub>2</sub> and build up of pressure possible. Danger of bursting when sealed gastight. Information concerning the compliance to the Packaging (Essential Requirements) Regulations 1998 and their amendments may be obtained from the manufacturer.

**SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION**

Exposure controls:



Eye/face protection:	Safety glasses with side-shields.
Skin/hand protection:	Chemical resistant gloves.
Other protection:	Wear suitable protective clothing.

**SECTION 9: PHYSICAL & CHEMICAL PROPERTIES**

State:	Liquid
Colour:	Yellowish
Odour:	Earthy, musty
Initial boiling point:	>200°C
Flash point:	200°C

**SECTION 10: STABILITY AND REACTIVITY**

Reactivity:	No hazardous reactions if stored and handled as prescribed/indicated.
Chemical stability:	This product is stable if stored and handled as prescribed/indicated.
Hazardous reaction:	Reacts with water, with formation of carbon dioxide. Risk of bursting. Reacts with substances which contain active hydrogen.
Conditions to avoid:	Temperature <15°C.
Incompatible materials:	Acids, alcohols, amines, water, Alkalines.
Hazardous decomposition products:	No hazardous decomposition products if stored and handled as prescribed/indicated.

**SECTION 11: TOXICOLOGICAL INFORMATION**

Acute toxicity:	No data is available on this product.
Skin corrosion/irritation:	Sensitization.
Serious eye damage/irritation:	Causes serious eye irritation.
Respiratory or skin sensitisation:	May cause sensitisation by inhalation.

**SECTION 12: ECOLOGICAL INFORMATION**

No data is available on this product.

**SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods: Completely empty the packaging and process it according to local legislation.

**SECTION 14: TRANSPORT INFORMATION**

Further information:	Classification for transport purposes. Where no specific information is given the material is classed as non hazardous for transport.
----------------------	---

**SECTION 15: REGULATORY INFORMATION**

"COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC".

"REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC".

**Polycote UK**

Centre Point • Wolseley Road • Woburn Road Industrial Estate  
Kempston • Beds • MK42 7EF  
Technical Helpline: 01234 846400



"maintenance made easy"

**SECTION 16: OTHER INFORMATION**

## Text of risk phrases

in Section 3: R20 – Harmful by inhalation.  
 R36/37/38 – Irritating to eyes, respiratory system and skin.  
 R40 – Limited evidence of a carcinogenic effect.  
 R42/43 – May cause sensitisation by inhalation and skin contact.  
 R48/20 – Harmful: danger of serious damage to health by prolonged exposure through inhalation.

## Text of Hazard Statements

in Section 3: Skin Irrit. 2: H315 – Causes skin irritation.  
 Skin Sens. 1: H317 – May cause an allergic skin reaction.  
 Eye Irrit. 2: H319 – Causes serious eye irritation.  
 Acute Tox. 4: H332 – Harmful if inhaled.  
 Resp. Sens. 1: H334 – May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
 STOT SE 3: H335 – May cause respiratory irritation.  
 Carc. 2: H351 – Suspected of causing cancer .  
 STOT RE 2: H373 – May cause damage to organs through prolonged or repeated exposure.

All the foregoing information should be regarded as being applicable to the uncured mixed product as well as to the individual components.

This material may form part of a multi component pack, and is supplied in the correct proportions for that pack. Please check all of the product labels to ensure that the correct components and pack sizes are being used. Select and use appropriate pack sizes to minimise waste and operator exposure, do not split packs. Use in batch order.

The Safety Data above is applicable to the product only as used according to the purposes and methods described on the relevant Technical Data Sheet, available from Polycote UK on request.

The information above is based on our present knowledge and is believed to be correct but does not purport to be all inclusive and should only be used as a guide. No warranty is implied with respect to the specification of the product. It is intended to describe the product solely in terms of its safety requirements and relates only to the specific material designed and may not be valid for such material used in combination with any other materials or in any process. This data does not constitute the users own assessment of workplace risk as required by other Health and Safety legislation, nor is it a sales specification or indication of suitability for any particular use. The user must satisfy himself as to the suitability of the product for his purpose. No legally valid contractual relationship is established by the above data, and Polycote UK shall not be held liable for any damage resulting from handling or from contact with the above product.

Date of Issue: June 2017

**Polycote UK**

Centre Point • Wolsley Road • Woburn Road Industrial Estate  
 Kempston • Beds • MK42 7EF  
 Technical Helpline: 01234 846400



# MATERIAL SAFETY DATA SHEET

337 18XX

## Flortex PU Cove Mix – Part C



### SECTION 1: IDENTIFICATION OF THE SUBSTANCE OR PREPARATION AND THE COMPANY

Product Name: **FLORTEX PU COVE MIX – PART C**  
 Company Name: Polycote UK  
 Centre Point • Wolseley Road  
 Woburn Road Industrial Estate  
 Kempston • Beds MK42 7EF  
 Telephone Number: 01234 846400

### SECTION 2: HAZARDS IDENTIFICATION

Classification 1999/45/EC:  
 Xn; R48/20  
 Symbols: Xn: Harmful.  
 Main hazards: Harmful: danger of serious damage to health by prolonged exposure through inhalation.  
 Classification EC 1272/2008:  
 STOT RE 1: H372.  
 Hazard pictograms:

Signal word: Danger  
 Hazard Statement: STOT RE 1: H372 – Causes damage to organs through prolonged or repeated exposure.  
 Precautionary Statement Prevention:  
 P260 – Do not breathe dust/fume/gas/mist/vapours/spray.  
 P264 – Wash thoroughly after handling.  
 P270 – Do no eat, drink or smoke when using this product.  
 Precautionary Statement Response:  
 P314 – Get medical advice/attention if you feel unwell.

### SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name:	Index No:	CAS No:	EC No:	Conc. (%w/w)	Classification
Silica Sand	-	14808-60-7	-	80 - 90%	Xn; R48/20 STOT RE 1: H372
Cement (Portland Cement)	-	65997-15-1	266-043-4	1 - 10%	Xi; R36/37/38 Skin Irrit. 2: H315; Eye Irrit. 2: H319; STOT SE 3: H335

### SECTION 4: FIRST AID MEASURES

Inhalation: Remove person to fresh air and support breathing as needed. Inhalation of large amounts of cement requires immediate medical attention. Consult a physician immediately.  
 Eye contact: Immediately flush eye thoroughly with clean water. Consult a physician immediately if irritation persists.  
 Skin contact: Wash affected areas with neutral soap and clean cool water for at least 15 minutes. For reduced or blistered skin, consult a physician immediately.  
 Ingestion: Rinse out mouth, drink water, casue no vomiting and consult a physician.  
**Most important symptoms and effects, both acute and delayed**  
 Inhalation: May cause irritation to respiratory system.  
 Eye contact: Irritating to eyes.  
 Skin contact: Causes burns.  
 Ingestion: Harmful by inhalation and if swallowed.

### SECTION 5: FIRE FIGHTING MEASURES

Extinguishing media: Not relevant as product is imcombustible.  
 Special hazards: No data is available on this product.  
 Advice for firefighters: No data is available on this product.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions: Wear suitable protective clothing, gloves and eye/face protection.  
 Environmental precautions: Avoid uncontrolled entry into the sewage system or into the outfall drain, especially after uncontrolled water addition.  
 Methods for cleaning up: Pick up mechanically (dry).

### SECTION 7: HANDLING AND STORAGE

Safe handling: Avoid dust development. Avoid skin and eye contact. During working avoid skin contact through use of appropriate protective clothing. Bagged aggregate is heavy and poses risk of injury during carrying. Handle with care. Use Personal Protective Equipment (PPE).  
 Storage: Protect from moisture in closed rooms and containers.

### SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limit Values:  
 Portland cement  
 WEL 8-hr limit mg/m<sup>3</sup> total 10 WEL 15 min limit mg/m<sup>3</sup>: –  
 inhalable dust inhalable dust  
 WEL 8-hr limit mg/m<sup>3</sup> total 4 WEL 15 min limit mg/m<sup>3</sup>: –  
 respirable dust respirable dust

Exposure controls:



Eye/face protection: Wear eye/face protection.  
 Skin/hand protection: Chemical resistant gloves.  
 Other protection: Wear suitable protective clothing.  
 Respiratory protection: Provide local exhaust or general ventilation system to control dust levels below the 8hr TWA level. Avoid creating airbourne dust conditions. Local exhaust ventilation is preferred since it prevents the release of contaminants in to the work area by controlling it at the source. If local or general ventilation is not adequate to control dust levels below exposure limits, use OES approved respirators.

### SECTION 9: PHYSICAL & CHEMICAL PROPERTIES

State: Powder  
 Colour: Colourless  
 Odour: Odourless

### SECTION 10: STABILITY AND REACTIVITY

Reactivity: No data available on this product.  
 Chemical stability: This product is stable if stored and handled as prescribed/indicated.  
 Incompatible materials: Acids.  
 Haz. decomp. products: No data available on this product.

**Polycote Flortex PU Cove Mix Part C – Cont.**

337 18XX

**SECTION 11: TOXICOLOGICAL INFORMATION**

No data is available on this product.

**SECTION 12: ECOLOGICAL INFORMATION**

No data is available on this product.

**SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods: Completely empty the packaging and process it according to local legislation.

**SECTION 14: TRANSPORT INFORMATION**

Further information: Classification for transport purposes. Where no specific information is given the material is classed as non hazardous for transport.

**SECTION 15: REGULATORY INFORMATION**

"COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC".

"REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC".

**SECTION 16: OTHER INFORMATION**

Text of risk phrases

in Section 3: R36/37/38 – Irritating to eyes, respiratory system and skin.

R48/20 – Harmful: danger of serious damage to health by prolonged exposure through inhalation.

Text of Hazard Statements

in Section 3: STOT RE 1: H372 – Causes damage to organs through prolonged or repeated exposure.

Skin Irrit. 2: H315 – Causes skin irritation.

Eye Irrit. 2: H319 – Causes serious eye irritation.

STOT SE 3: H335 – May cause respiratory irritation.

All the foregoing information should be regarded as being applicable to the uncured mixed product as well as to the individual components.

This material may form part of a multi component pack, and is supplied in the correct proportions for that pack. Please check all of the product labels to ensure that the correct components and pack sizes are being used. Select and use appropriate pack sizes to minimise waste and operator exposure, do not split packs. Use in batch order.

The Safety Data above is applicable to the product only as used according to the purposes and methods described on the relevant Technical Data Sheet, available from Polycote UK on request.

The information above is based on our present knowledge and is believed to be correct but does not purport to be all inclusive and should only be used as a guide. No warranty is implied with respect to the specification of the product. It is intended to describe the product solely in terms of its safety requirements and relates only to the specific material designed and may not be valid for such material used in combination with any other materials or in any process. This data does not constitute the users own assessment of workplace risk as required by other Health and Safety legislation, nor is it a sales specification or indication of suitability for any particular use. The user must satisfy himself as to the suitability of the product for his purpose. No legally valid contractual relationship is established by the above data, and Polycote UK shall not be held liable for any damage resulting from handling or from contact with the above product.

Date of Issue: June 2017

**Polycote UK**

Centre Point • Wolseley Road • Woburn Road Industrial Estate  
Kempston • Beds • MK42 7EF  
Technical Helpline: 01234 846400



*"maintenance made easy"*