

## MATERIAL SAFETY DATA SHEET

353 05+A

## Flortex Mezicoat – Part A



"maintenance made easy"

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE OR PREPARATION AND THE COMPANY**

Product Name: **FLORTEX MEZICOAT – PART A**  
 Company Name: Polycote UK  
 Centre Point • Wolseley Road  
 Woburn Road Industrial Estate  
 Kempston • Beds MK42 7EF  
 Telephone Number: 01234 846400

**SECTION 2: HAZARDS IDENTIFICATION****Classification under CLP:**

Eye Dam. 1: H318; Skin Irrit. 2: H315

**Most important adverse effects:**

Causes skin irritation. Causes serious eye damage.

**Hazard pictograms:**Signal word: **Danger**

Hazard statements: H315: Causes skin irritation.

H318: Causes serious eye damage.

**Precautionary statements:**

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+352: IF ON SKIN: Wash with plenty of water.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTRE/doctor.

P321: Specific treatment (see instructions on this label).

PBT: This product is not identified as a PBT/vPvB substance.

**SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS****Chemical Name:**

EINECS	CAS No:	Classification	Percent
PHENOL, 4,4'-(1-METHYLETHYLIDENE)BIS-, POLYMER WITH (CHLOROMETHYL)OXIRANE		Eye Dam. 1: H318	1 - 10%
POLYOXYALKYLENAMIN			
-	9046-10-0	Acute Tox. 4: H302; Skin Corr. 1B: H314; Eye Dam. 1: H318; Aquatic Chronic 3: H412	1 - 10%
PROPIONIC ACID			
201-176-3	79-09-4	Skin Corr. 1B: H314	1 - 10%
3-[(6-AMINO-2,4,4-TRIMETHYLHEXYL)AMINO]PROPIONONITRILE			
270-382-3	68426-03-9	Acute Tox. 4: H302; Skin Corr. 1B: H314; Eye Dam. 1: H318; Skin Sens. 1: H317; Aquatic Chronic 2: H411	<1%
3-AMINOMETHYL-3,5,5-TRIMETHYLCYCLOHEXYLAMINE			
220-666-8	2855-13-2	Acute Tox. 4: H312; Acute Tox. 4: H302; Skin Corr. 1B: H314; Skin Sens. 1: H317; Aquatic Chronic 3: H412	<1%
LOW BOILING POINT NAPHTHA - UNSPECIFIED - SOLVENT NAPHTHA (PETROLEUM), LIGHT AROM.			
265-199-0	64742-95-6	Asp. Tox. 1: H304; Flam. Liq. 3: H226; STOT SE 3: H335; Aquatic Chronic 2: H411	<1%

**SECTION 4: FIRST AID MEASURES**

Skin contact: Wash immediately with plenty of soap and water. Remove all contaminated clothes and footwear immediately unless stuck to skin.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Do not induce vomiting. Wash out mouth with water.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

**Most important symptoms and effects, both acute and delayed**

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: No symptoms.

Delayed / immediate effects: Delayed effects can be expected after short-term exposure.

Immediate / special treatment: Eye bathing equipment should be available on the premises.

**SECTION 5: FIRE FIGHTING MEASURES**

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

Exposure hazards: In combustion emits toxic fumes.

Advice for firefighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

Personal precautions: Refer to section 8 of SDS for personal protection details.

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

Methods for cleaning up: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

**SECTION 7: HANDLING AND STORAGE**

Handling: Ensure there is sufficient ventilation of the area.

Storage: Store in a cool, well ventilated area. Keep container tightly closed.

Packaging: Must only be kept in original packaging.

Specific end use(s): PC9a: Coatings and paints, thinners, paint removers.

**SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION**

Hazardous ingredients:

PROPIONIC ACID...100%

Workplace exposure limits:		Respirable dust		
State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	31 mg/m <sup>3</sup>	46 mg/m <sup>3</sup>	-	-

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protection not required.

Hand protection: Nitrile gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Environmental: Prevent from entering in public sewers or the immediate environment.

**Polycote Flortex Mezicoat – Part A Cont.**

353 05+A

**SECTION 9: PHYSICAL & CHEMICAL PROPERTIES**

State: Liquid  
 Colour: Grey  
 Odour: Characteristic odour  
 Boiling point: >35°C  
 Flash point: >93°C  
 Relative density: No data available  
 Solubility in water: Miscible  
 Viscosity: Viscous  
 VOC (Volatile organic compounds): 6.68 g/l

**SECTION 10: STABILITY AND REACTIVITY**

Reactivity: Stable under recommended transport or storage conditions.  
 Chemical stability: Stable under normal conditions.  
 Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.  
 Conditions to avoid: Heat.  
 Materials to avoid: Strong bases. Strong oxidising agents. Amines.  
 Haz. decomp. products: In combustion emits toxic fumes.

**SECTION 11: TOXICOLOGICAL INFORMATION****Hazardous ingredients:**

PROPRIONIC ACID...100%  
 IVN MUS LD50 625 mg/kg  
 ORL RAT LD50 2600 mg/kg  
 LOW BOILING POINT NAPHTHA - UNSPECIFIED - SOLVENT NAPHTHA (PETROLEUM), LIGHT AROM.  
 ORL RAT LD50 8400 mg/kg

**Relevant effects for mixture:**

Effect	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

**Symptoms / routes of exposure:**

Skin contact: There may be irritation and redness at the site of contact.  
 Eye contact: There may be irritation and redness.  
 Ingestion: There may be soreness and redness of the mouth and throat.  
 Inhalation: No symptoms.  
 Delayed / immediate effects: Delayed effects can be expected after short-term exposure.

**SECTION 12: ECOLOGICAL INFORMATION**

Ecotoxicity values: No data available.  
 Mobility: No data available.  
 PBT identification: This product is not identified as a PBT/vPvB substance.

**SECTION 13: DISPOSAL CONSIDERATIONS**

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.  
 Disposal of packaging: Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.  
 NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**SECTION 14: TRANSPORT INFORMATION**

This product does not require a classification for transport.

**SECTION 15: REGULATORY INFORMATION**

No information available.

**SECTION 16: OTHER INFORMATION**

This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

**Phrases used**

in s.2 and s.3: H226: Flammable liquid and vapour.  
 H302: Harmful if swallowed.  
 H304: May be fatal if swallowed and enters airways.  
 H312: Harmful in contact with skin.  
 H314: Causes severe skin burns and eye damage.  
 H315: Causes skin irritation.  
 H317: May cause an allergic skin reaction.  
 H318: Causes serious eye damage.  
 H335: May cause respiratory irritation.  
 H411: Toxic to aquatic life with long lasting effects.  
 H412: Harmful to aquatic life with long lasting effects.

The Safety Data above is applicable to the product only as used according to the purposes and methods described on the relevant Technical Data Sheet, available from Polycote UK on request.

The information above is based on our present knowledge and is believed to be correct but does not purport to be all inclusive and should only be used as a guide. No warranty is implied with respect to the specification of the product. It is intended to describe the product solely in terms of its safety requirements and relates only to the specific material designed and may not be valid for such material used in combination with any other materials or in any process. This data does not constitute the users own assessment of workplace risk as required by other Health and Safety legislation, nor is it a sales specification or indication of suitability for any particular use. The user must satisfy himself as to the suitability of the product for his purpose. No legally valid contractual relationship is established by the above data, and Polycote UK shall not be held liable for any damage resulting from handling or from contact with the above product.

Date of Issue: June 2017

**Polycote UK**

Centre Point • Wolsley Road • Woburn Road Industrial Estate  
 Kempston • Beds • MK42 7EF  
 Technical Helpline: 01234 846400

**POLYCOTE®**  
*"maintenance made easy"*

# Flortex Mezicoat – Part B



"maintenance made easy"

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE OR PREPARATION AND THE COMPANY

Product Name: **FLORTEX MEZICOAT – PART B**  
 Company Name: Polycote UK  
 Centre Point • Wolseley Road  
 Woburn Road Industrial Estate  
 Kempston • Beds MK42 7EF  
 Telephone Number: 01234 846400

## SECTION 2: HAZARDS IDENTIFICATION

### Classification under CLP:

Acute Tox. 4: H312; Aquatic Chronic 2: H411; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317

### Most important adverse effects:

Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.

### Hazard pictograms:



Signal word: Danger

Hazard statements: H312: Harmful in contact with skin.  
 H315: Causes skin irritation.  
 H317: May cause an allergic skin reaction.  
 H319: Causes serious eye irritation.  
 H411: Toxic to aquatic life with long lasting effects.

### Precautionary statements:

P280: Wear protective gloves/protective clothing/eye protection/face protection.  
 P302+350: IF ON SKIN: Gently wash with plenty of soap and water.  
 P302+352: IF ON SKIN: Wash with plenty of water.  
 P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P312: Call a POISON CENTRE/doctor if you feel unwell.  
 P321: Specific treatment (see instructions on this label).

PBT: This product is not identified as a PBT/vPvB substance.

## SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

### Chemical Name:

EINECS	CAS No:	Classification	Percent
BISPHENOL A-(EPICHLORHYDRIN) {REACTION PRODUCT}			
500-033-5	25068-38-6	Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 2: H411	70 - 90%
P-TERTIARY BUTYL PHENYL GLYCIDYL ETHER			
221-453-2	3101-60-8	Skin Irrit. 2: H315; Aquatic Chronic 3: H412; Eye Irrit. 2: H319; Skin Sens. 1: H317	10 - 30%
OXIRANE, MONO[(C12-14ALKYLOXY)METHYL] DERIVATIVES			
271-846-8	68609-97-2	Skin Irrit. 2: H315; Skin Sens. 1: H317	1 - 10%

## SECTION 4: FIRST AID MEASURES

Skin contact: Wash immediately with plenty of soap and water. Remove all contaminated clothes and footwear immediately unless stuck to skin. Consult a doctor.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Do not induce vomiting. Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

### Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: May cause respiratory tract burns.

Delayed / immediate effects:

Delayed effects can be expected after short-term exposure.

Immediate / special treatment:

Show this safety data sheet to the doctor in attendance. Eye bathing equipment should be available on the premises.

## SECTION 5: FIRE FIGHTING MEASURES

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used.

Exposure hazards: In combustion emits toxic fumes.

Advice for firefighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions: Refer to section 8 of SDS for personal protection details.

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

Methods for cleaning up: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

## SECTION 7: HANDLING AND STORAGE

Handling: Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance.

Storage: Store in a cool, well ventilated area. Keep container tightly closed.

Specific end use(s): No data available.

## SECTION 8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protection not required.

Hand protection: Nitrile gloves.

Eye protection: Safety glasses.

Skin protection: Protective clothing.

Environmental: Prevent from entering in public sewers or the immediate environment.

**SECTION 9: PHYSICAL & CHEMICAL PROPERTIES**

State: Liquid  
 Colour: Yellowish  
 Odour: Perceptible odour  
 Boiling point: 250-300°C  
 Flash point: >150°C  
 Relative density: 1.14 - 1.16 g/cm<sup>3</sup>  
 Viscosity: Viscous  
 Solubility in water: Partly miscible  
 VOC (Volatile organic compounds): No data available

**SECTION 10: STABILITY AND REACTIVITY**

Reactivity: Stable under recommended transport or storage conditions.  
 Chemical stability: Stable under normal conditions.  
 Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.  
 Conditions to avoid: Heat. Flames.  
 Materials to avoid: Acids. Oxidising agents.  
 Haz. decomp. products: In combustion emits toxic fumes.

**SECTION 11: TOXICOLOGICAL INFORMATION****Hazardous ingredients:**

BISPHENOL A-(EPICHLORHYDRIN) (REACTION PRODUCT)  
 ORL MUS LD50 15600 mg/kg  
 ORL RAT LD50 11400 mg/kg  
 SKN RBT LD50 >20 ml/kg  
 OXIRANE, MONO[(C12-14ALKYLOXY)METHYL] DERIVATIVES  
 ORL RAT LD50 17100 mg/kg

**Relevant effects for mixture:**

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	DRM	Hazardous: calculated
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
Respiratory/skin sensitisation	DRM	Hazardous: calculated

**Symptoms / routes of exposure:**

Skin contact: There may be irritation and redness at the site of contact.  
 Eye contact: There may be irritation and redness.  
 Ingestion: There may be soreness and redness of the mouth and throat.  
 Inhalation: No symptoms.  
 Delayed / immediate effects: Delayed effects can be expected after short-term exposure.

**SECTION 12: ECOLOGICAL INFORMATION**

Ecotoxicity values: No data available.  
 Bioaccumulative potential: No data available.  
 Mobility: No data available.  
 PBT identification: This product is not identified as a PBT/vPvB substance.

**SECTION 13: DISPOSAL CONSIDERATIONS**

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.  
 Disposal of packaging: Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.  
 NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**SECTION 14: TRANSPORT INFORMATION**

UN Number: UN 3082  
 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
 Transport hazard class: 9  
 Packing group: III  
 Environmental hazard: Yes  
 Marine pollutant: No  
 Tunnel category: E  
 Transport category: 3

**SECTION 15: REGULATORY INFORMATION**

No information available.

**SECTION 16: OTHER INFORMATION**

This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

**Phrases used**

in s.2 and s.3: H312: Harmful in contact with skin.  
 H315: Causes skin irritation.  
 H317: May cause an allergic skin reaction.  
 H319: Causes serious eye irritation.  
 H411: Toxic to aquatic life with long lasting effects.  
 H412: Harmful to aquatic life with long lasting effects.

All the foregoing information should be regarded as being applicable to the uncured mixed product as well as to the individual components.

This material may form part of a multi component pack, and is supplied in the correct proportions for that pack. Please check all of the product labels to ensure that the correct components and pack sizes are being used. Select and use appropriate pack sizes to minimise waste and operator exposure, do not split packs. Use in batch order.

The Safety Data above is applicable to the product only as used according to the purposes and methods described on the relevant Technical Data Sheet, available from Polycote UK on request.

The information above is based on our present knowledge and is believed to be correct but does not purport to be all inclusive and should only be used as a guide. No warranty is implied with respect to the specification of the product. It is intended to describe the product solely in terms of its safety requirements and relates only to the specific material designed and may not be valid for such material used in combination with any other materials or in any process. This data does not constitute the users own assessment of workplace risk as required by other Health and Safety legislation, nor is it a sales specification or indication of suitability for any particular use. The user must satisfy himself as to the suitability of the product for his purpose. No legally valid contractual relationship is established by the above data, and Polycote UK shall not be held liable for any damage resulting from handling or from contact with the above product.

Date of Issue: June 2017

**Polycote UK**

Centre Point • Wolsley Road • Woburn Road Industrial Estate  
 Kempston • Beds • MK42 7EF  
 Technical Helpline: 01234 846400