

SECTION 1: IDENTIFICATION OF THE SUBSTANCE OR PREPARATION AND THE COMPANY

1.1 Product Identifier

Product Name: Wall Cladding SP Adhesive
1.2 Relevant identified uses of the substance or mixture and uses advised against
Identified Use(s): Sealants Adhesive.
Uses Advised Against: Use only for intended applications.

1.3 Details of the supplier of the safety data sheet

Company Name: Polycote UK LLP
 Centre Point
 Wolsley Road
 Woburn Road Industrial Estate
 Kempston
 Beds
 MK42 7EF
Telephone Number: 01234 846400
Emergency Contact Number: 111 (NHS England)
Email address: uksales@polycote.com

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture:

Product definition: Mixture

Classification according to UK CLP/GHS:

Eye Irrit. 2, H319
 Skin Sens. 1, H317

The product is classified as hazardous according to UK CLP Regulation SI 2019/720 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

According to Regulation (EC) No. 1272/2008 (CLP):

Hazard pictograms:



Signal word:

Warning

Hazard statements:

H317 - May cause an allergic skin reaction.
 H319 - Causes serious eye irritation.

Precautionary statements

Prevention:

P280 - Wear protective gloves/protective clothing/eye protection/face protection.
 P261 - Avoid breathing vapour.

Response:

P362 + P364 - Take off contaminated clothing and wash it before reuse.
 P337 + P313 - If eye irritation persists: Get medical advice/attention.
 P333 + P313 - If skin irritation or rash occurs: Get medical advice or attention.
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage:

Not applicable

Disposal:

Not applicable

Supplemental label elements:

Not applicable

Annex XVII – Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles: Not applicable

Special packaging requirements

Containers to be fitted with child-resistant fastenings:

Not applicable

Tactile warning of danger:

Not applicable

2.3 Other hazards

Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII:

This mixture contains substances that are assessed to be a PBT or a vPvB, refer to Section 3.2.

Other hazards which do not result in classification:

Curing process releases a small amount of methanol.

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

3.2 Mixtures:

Product/ingredient name	Identifiers	%	Classification	Type
trimethoxyvinylsilane	REACH #: 01-2119513215-52 EC: 220-449-8 CAS: 2768-02-7 Index: 014-049-00-0	≤3	Acute Tox. 4, H332 Eye Irrit. 2, H319 Skin Sens. 1B, H317	[1]

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS (continue)**3.2 Mixtures:**

Product/ingredient name	Identifiers	%	Classification	Type
N-(3-(trimethoxysilyl)propyl) ethylenediamine	REACH #: 01-2119970215-39 EC: 217-164-6 CAS: 1760-24-3	<3	Acute Tox. 4, H332 Eye Dam. 1, H318 Skin Sens. 1B, H317 STOT RE 2, H373 (respiratory tract) (inhalation)	[1]
titanium dioxide	REACH #: 01-2119489379-17 EC: 236-675-5	≤1	Not classified	[2]
Diocetyl tinbis(acetylacetonate)	REACH #: 01-0000020199-67 EC: 483-270-6 CAS: 54068-28-9	<1	Skin Sens. 1, H317 STOT SE 2, H371 (immune system) (oral)	[1] [2]
bumetizole	REACH #: 01-2119971796-18 EC: 223-445-4 CAS: 3896-11-5	<1	Not classified	[3]
bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	REACH #: 01-2119537297-32 EC: 258-207-9 CAS: 52829-07-9	<1	Eye Dam. 1, H318 Repr. 2, H361f Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411	[1]
methanol	EC: 200-659-6 CAS: 67-56-1 Index: 603-001-00-X	<0.1	Flam. Liq. 2, H225 Acute Tox. 3, H301 Acute Tox. 3, H311 Acute Tox. 3, H331 STOT SE 1, H370	[1] [2]
carbon black, non-respirable	EC: 215-609-9 CAS: 1333-86-4	≤0.1	Not classified	[2]
See Section 16 for the full text of the H statements declared above.				

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for vPvB

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: FIRST-AID MEASURES**4.1 Description of first aid measures:****Eye contact:**

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

Inhalation:

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Skin contact:

Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion:

Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

SECTION 4: FIRST-AID MEASURES (continue)

Protection of first-aiders:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it or wear gloves.
4.2 Most important symptoms and effects, both acute and delayed	
Eye contact:	Adverse symptoms may include the following: pain or irritation watering redness
Inhalation:	No specific data
Skin contact:	Adverse symptoms may include the following: irritation redness
Ingestion:	No specific data
4.3 Indication of any immediate medical attention and special treatment needed:	
Notes to physician:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments:	Antidote for methanol poisoning is ethanol.

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing media	
Suitable extinguishing media:	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	None known
5.2 Special hazards arising from the substance or mixture	
Hazards from the substance or mixture:	No specific fire or explosion hazard.
Hazardous combustion products:	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides
5.3 Advice for firefighters	
Special protective actions for fire-fighters:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures	
For non-emergency personnel:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for containment and cleaning up	
Small spill:	Move containers from spill area. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.
Large spill:	Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labelled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.
6.4 Reference to other sections:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: HANDLING AND STORAGE

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

SECTION 7: HANDLING AND STORAGE (continue)

7.1 Precautions for safe handling

Protective measures:

Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene:

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities:

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

Recommendations:

Not available

Industrial sector specific solutions:

Not available

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure Limits

Product/ingredient name	Exposure limit values
titanium dioxide	EH40/2005 WELs (United Kingdom (UK), 1/2020). TWA: 4 mg/m ³ 8 hours. Form: respirable TWA: 10 mg/m ³ 8 hours. Form: total inhalable
Diocetyltnbis(acetylacetonate)	EH40/2005 WELs (United Kingdom (UK), 1/2020). [tin compounds, organic, except cyhexatin (ISO) as Sn] Absorbed through skin. STEL: 0.2 mg/m ³ , (as Sn) 15 minutes. TWA: 0.1 mg/m ³ , (as Sn) 8 hours.
methanol	EH40/2005 WELs (United Kingdom (UK), 1/2020). Absorbed through skin. STEL: 333 mg/m ³ 15 minutes. STEL: 250 ppm 15 minutes. TWA: 266 mg/m ³ 8 hours. TWA: 200 ppm 8 hours.
carbon black, non respirable	EH40/2005 WELs (United Kingdom (UK), 1/2020). STEL: 7 mg/m ³ 15 minutes. TWA: 3.5 mg/m ³ 8 hours

Biological exposure indices

No exposure indices known.

Recommended monitoring procedures

Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

Product/ingredient name	Type	Exposure	Value	Population	Effects
trimethoxyvinylsilane	DNEL	Long term Oral	0.3 mg/kg bw/day	General population	Systemic
	DNEL	Long term Dermal	3.9 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	6.7 mg/m ³	General population	Systemic
	DNEL	Long term Dermal	7.8 mg/kg bw/day	General population	Systemic
	DNEL	Long term Inhalation	27.6 mg/m ³	General population	Systemic
	DNEL	Short term Inhalation	26400 mg/m ³	Workers	Systemic
N-(3-(trimethoxysilyl)propyl) ethylenediamine	DNEL	Long term Inhalation	0.1 mg/m ³	General population	Local
	DNEL	Long term Inhalation	0.6 mg/m ³	Workers	Local
	DNEL	Short term Inhalation	4 mg/m ³	General population	Local
	DNEL	Short term Inhalation	5.36 mg/m ³	Workers	Local
	DNEL	Long term Oral	8 mg/kg bw/day	General population	Systemic
	DNEL	Short term Inhalation	50 mg/m ³	General population	Systemic
	DNEL	Long term Inhalation	50 mg/m ³	General population	Systemic
	DNEL	Short term Inhalation	260 mg/m ³	Workers	Systemic
	DNEL	Long term Inhalation	260 mg/m ³	Workers	Systemic
Diocetyltnbis(acetylacetonate)	DNEL	Long term Dermal	0.07 mg/ kg bw/day	Workers	Systemic
	DNEL	Short term Inhalation	84 mg/m ³	Workers	Systemic

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continue)

DNELs/DMELs (cont)

Product/ingredient name	Type	Exposure	Value	Population	Effects
bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	DNEL	Long term Oral	0.18 mg/ kg bw/day	General population	Systemic
	DNEL	Long term Inhalation	0.31 mg/m ³	General population	Systemic
	DNEL	Long term Dermal	0.9 mg/kg bw/day	General population	Systemic
	DNEL	Long term Inhalation	1.27 mg/m ³	Workers	Systemic
	DNEL	Long term Dermal	1.8 mg/kg bw/day	Workers	Systemic
methanol	DNEL	Short term Oral	4 mg/kg bw/day	General population	Systemic
	DNEL	Long term Oral	4 mg/kg bw/day	General population	Systemic
	DNEL	Short term Dermal	4 mg/kg bw/day	General population	Systemic
	DNEL	Long term Dermal	4 mg/kg bw/day	General population	Systemic
	DNEL	Short term Dermal	20 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Dermal	20 mg/kg bw/day	Workers	Systemic
	DNEL	Short term Inhalation	26 mg/m ³	General population	Local
	DNEL	Long term Inhalation	26 mg/m ³	General population	Local
	DNEL	Short term Inhalation	26 mg/m ³	General population	Systemic
	DNEL	Long term Inhalation	26 mg/m ³	General population	Systemic
	DNEL	Short term Inhalation	130 mg/m ³	Workers	Local
	DNEL	Long term Inhalation	130 mg/m ³	Workers	Local
	DNEL	Short term Inhalation	130 mg/m ³	Workers	Systemic
	DNEL	Long term Inhalation	130 mg/m ³	Workers	Systemic
carbon black, non respirable	DNEL	Long term Inhalation	0.06 mg/m ³	General population	Systemic
	DNEL	Long term Inhalation	1 mg/m ³	Workers	Systemic

PNECs

Product/ingredient name	Compartment Detail	Value	Method Detail
N-(3-(trimethoxysilyl)propyl)ethylenediamine	Fresh water	0.05 mg/l	-
	Fresh water	0.072 mg/l	-
	Marine water	0.005 mg/l	-
	Sewage Treatment Plant	20 mg/l	-
	Fresh water sediment	0.181 mg/kg	-
	Marine water sediment	0.018 mg/kg	-
	Soil	0.007 mg/kg	-
Diocetyltnbis(acetylacetonate)	Fresh water	0.26 mg/l	-
	Marine water	0.003 mg/l	-
	Sewage Treatment Plant	1 mg/l	-
	Fresh water sediment	0.155 mg/kg	-
	Marine water sediment	0.015 mg/kg	-
	Soil	0.016 mg/kg	-
bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	Fresh water	0.004 mg/l	-
	Fresh water	0.007 mg/l	-
	Marine water	0.38 µg/l	-
	Sewage Treatment Plant	1 mg/l	-
	Fresh water sediment	5.9 mg/kg	-
	Marine water sediment	0.59 mg/kg	-
	Soil	1.18 mg/kg	-

8.2 Exposure controls:

8.2.1. Appropriate engineering controls

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Hand protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection:

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continue)

Other skin protection:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
Environmental exposure controls:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance

Physical state:	Solid. [paste]
Colour:	Grey
Odour:	Mild
Melting point/freezing point:	Not available
Odour threshold:	Not available
Initial boiling point and boiling range:	Not available
Flammability (solid, gas):	Not available
Upper/lower flammability or explosive limits:	Not applicable
Flash point:	Not applicable
Auto-ignition temperature:	400°C (752°F)
Decomposition temperature:	Not available
pH:	Not applicable
Viscosity:	Dynamic: 600000 to 1000000 mPa·s
Solubility(ies):	

Media	Result
cold water	Not soluble

Solubility in water:	Insoluble
Miscible with water:	No
Partition coefficient: n-octanol/water:	Not applicable
Vapour pressure:	Not available
Relative density:	1.44 to 1.54
Vapour density:	Not applicable
Explosive properties:	Not available
Oxidising properties:	Not available

Particle characteristics

Median particle size:	Not available
-----------------------	---------------

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability:	The product is stable.
10.3 Possibility of hazardous reactions:	Under normal conditions of storage and use, hazardous reactions will not occur. Curing process releases a small amount of methanol.
10.4 Conditions to avoid:	Keep away from heat and direct sunlight.
10.5 Incompatible materials:	No specific data.
10.6 Hazardous decomposition products:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

Acute toxicity:

Product/ingredient name	Result	Species	Dose	Exposure
trimethoxivinylsilane	LC50 Inhalation Vapour	Rat	16.8 mg/l	4 hours
	LD50 Dermal	Rabbit - Female	3158 mg/kg	-
	LD50 Oral	Rat - Male	6899 mg/kg	-
	LD50 Oral	Rat	7340 uL/kg	-
N-(3-(trimethoxysilyl)propyl) ethylenediamine	LC50 Inhalation Dusts and mists	Rat	1.49 mg/l	4 hours
	LD50 Oral	Rat	2413 mg/kg	-
Diocetyl tinbis (acetylacetonate)	LD50 Dermal	Rat	>2000 mg/kg	-
	LD50 Oral	Rat	2500 mg/kg	-

SECTION 11: TOXICOLOGICAL INFORMATION (continue)

Product/ingredient name	Result	Species	Dose	Exposure
bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	LC50 Inhalation Dusts and mists	Rat	500 mg/m ³	4 hours
	LD50 Dermal	Rat	3170 mg/kg	-
	LD50 Oral	Rat	3700 mg/kg	-
methanol	LC50 Inhalation Gas	Rat	145000 ppm	1 hour
	LC50 Inhalation Gas	Rat	64000 ppm	4 hours
	LD50 Dermal	Rabbit	15800 mg/kg	-
	LD50 Oral	Rat	5600 mg/kg	-
carbon black, non respirable	LD50 Oral	Rat	>15400 mg/kg	-

Conclusion/Summary: Based on available data, the classification criteria are not met.

Acute toxicity estimates

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
ARBOMERIC® MP 20 Grey	N/A	N/A	N/A	1166.7	103.5
trimethoxyvinylsilane	6899	3158	N/A	16.8	N/A
N-(3-(trimethoxysilyl)propyl)ethylenediamine	2413	N/A	N/A	N/A	1.49
Diocetyl tinbis(acetylacetonate)	2500	N/A	N/A	N/A	N/A
bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	3700	3170	N/A	N/A	N/A
methanol	100	300	64000	3	N/A

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
trimethoxyvinylsilane	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
N-(3-(trimethoxysilyl)propyl)ethylenediamine	Eyes - Severe irritant	Rabbit	-	15 mg	-
	Skin - Mild irritant	Rabbit	-	500 mg	-
titanium dioxide	Skin - Mild irritant	Human	-	72 hours 300 ug l	-
bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	Eyes - Severe irritant	Rabbit	-	-	21 Days
methanol	Eyes - Moderate irritant	Rabbit	-	24 hours 100 mg	-
	Eyes - Moderate irritant	Rabbit	-	40 mg	-
	Skin - Moderate irritant	Rabbit	-	24 hours 20 mg	-

Conclusion/Summary

Skin: Based on available data, the classification criteria are not met.

Eyes: Eye Irrit. 2

Respiratory: Based on available data, the classification criteria are not met.

Sensitisation

Product/ingredient name	Route of exposure	Species	Result
N-(3-(trimethoxysilyl)propyl)ethylenediamine	Skin	Guinea pig	Sensitising
Diocetyl tinbis(acetylacetonate)	skin	Mouse	Sensitising

Conclusion/Summary

Skin: Skin Sens. 1

Respiratory: Based on available data, the classification criteria are not met.

Mutagenicity

Conclusion/Summary: Based on available data, the classification criteria are not met.

Carcinogenicity

Conclusion/Summary: Based on available data, the classification criteria are not met.

Reproductive toxicity

Conclusion/Summary: Based on available data, the classification criteria are not met.

Teratogenicity

Conclusion/Summary: Based on available data, the classification criteria are not met.

Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
Diocetyl tinbis(acetylacetonate)	Category 2	oral	immune system
methanol	Category 1	-	-

Specific target organ toxicity (repeated exposure)

Product/ingredient name	Category	Route of exposure	Target organs
N-(3-(trimethoxysilyl)propyl)ethylenediamine	Category 2	inhalation	respiratory tract

Aspiration hazard Not available

Information on likely routes of exposure Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.

SECTION 11: TOXICOLOGICAL INFORMATION (continue)

Potential acute health effects

Eye contact:	Causes serious eye irritation.
Inhalation:	No known significant effects or critical hazards.
Skin contact:	May cause an allergic skin reaction.
Ingestion:	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact:	Adverse symptoms may include the following: pain or irritation watering redness
Inhalation:	No specific data.
Skin contact:	Adverse symptoms may include the following: irritation redness
Ingestion:	No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects:	Irritating to eyes. Sensitisation.
Potential delayed effects:	Not available.

Long term exposure

Potential immediate effects:	Not available.
Potential delayed effects:	Not available.

Potential chronic health effects

Product/ingredient name	Result	Species	Dose	Exposure
Diocetylbinbis(acetylacetonate)	Sub-acute NOAEL Oral	Rat	1.8 mg/jg	7 days

Conclusion/Summary: Not available.

General:	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity:	No known significant effects or critical hazards.
Mutagenicity:	No known significant effects or critical hazards.
Reproductive toxicity:	No known significant effects or critical hazards.
Other information	Not available.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
trimethoxyvinylsilane	Acute EC50 >89 mg/l Fresh water	Algae	72 hours
	Acute EC50 168.7 mg/l Fresh water	Daphnia – Daphnia magna	48 hours
	Acute LC50 191 mg/l Fresh water	Fish – Oncorhynchus mykiss	96 hours
N-(3-(trimethoxysilyl)propyl) ethylenediamine	Acute EC50 8.8 mg/l Fresh water	Algae	72 hours
	Acute EC50 81 mg/l Fresh water	Daphnia – Daphnia magna	48 hours
	Acute LC50 597 mg/l Fresh water	Fish – Brachydanio rerio	96 hours
	Chronic NOEC 1 mg/l Fresh water	Daphnia – Daphnia magna	21 days
titanium dioxide	Acute EC50 3 mg/l Fresh water	Crustaceans – Water flea – Ceriodaphnia dubia – Neonate	48 hours
	Acute LC50 6.5 mg/l Fresh water	Daphnia – Water flea – Daphnia pulex – Neonate	48 hours
	Acute LC50 >1000000 µg/l Marine water	Fish – Mummichog – Fundulus heteroclitus	96 hours
bumetizole	Acute EC50 >100 mg/l Fresh water	Algae	72 hours
	Acute EC50 >100 mg/l Fresh water	Daphnia – Daphnia magna	48 hours
	Acute LC50 >100 mg/l Fresh water	Fish – Danio rerio	96 hours
	Chronic NOEC 10 µg/l Fresh water	Daphnia – Daphnia magna	21 days
	Chronic NOEC 100 µg/l Fresh water	Fish – Zebra danio – Danio rerio – Juvenile (Fledgling, Hatchling, Weanling)	28 days
bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	Acute EC50 0.705 mg/l Fresh water	Algae – Pseudokirchneriella subcapitata	72 hours
	Acute EC50 8.58 mg/l Fresh water	Daphnia – Daphnia magna	48 hours
	Acute LC50 4.4 mg/l Fresh water	Fish – Lepomis macrochirus	96 hours
	Chronic NOEC 0.23 mg/l Fresh water	Daphnia – Daphnia magna	21 days
methanol	Acute EC50 16.912 mg/l Marine water	Algae – Green algae – Ulva pertusa	96 hours
	Acute LC50 2500000 µg/l Marine water	Crustaceans – Common shrimp, sand shrimp – Crangon crangon – Adult	48 hours
	Acute LC50 3289 mg/l Fresh water	Daphnia – Water flea – Daphnia magna – Neonate	48 hours
	Acute LC50 290 mg/l Fresh water	Fish – Zebra danio – Danio rerio – Egg	96 hours
	Chronic NOEC 9.96 mg/l Marine water	Algae – Green algae – Ulva pertusa	96 hours
carbon black, non respirable	Acute EC50 37.563 mg/l Fresh water	Daphnia - Water flea – Daphnia magna - Neonate	48 hours

Conclusion/Summary: Based on available data, the classification criteria are not met.

SECTION 12: ECOLOGICAL INFORMATION (continue)

12.2 Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
bumetrizole	-	10 % - Not readily - 28 days	-	-

Conclusion/Summary: Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
N-(3-(trimethoxysilyl)propyl) ethylenediamine	-	-	Readily
bumetrizole	Fresh water >180 days, 20°C	-	Not readily
bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	-	-	Not readily

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
bumetrizole	-	6356	High
bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	0.35	-	Low
methanol	-0.77	<10	Low

12.4 Mobility in soil

Soil/water partition coefficient (Koc): Not available.

Mobility: Not available.

12.5 Results of PBT and vPvB assessment

Product/ingredient name	PBT	P	B	T	vPvB	vP	vB
trimethoxyvinylsilane	No	N/A	N/A	No	N/A	N/A	N/A
Dioctyltinbis(acetylacetonate)	No	N/A	N/A	No	N/A	N/A	N/A
bumetrizole	No	Yes	Yes	No	Yes	Yes	Yes
methanol	No	N/A	N/A	No	No	N/A	No

12.6 Other adverse effects: No known significant effects or critical hazards.

SECTION 13: DISPOSAL CONSIDERATIONS

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

Methods of disposal:

The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste:

Yes

Waste catalogue

Waste Code	Waste designation
08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous substances

Packaging

Methods of disposal:

The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions

This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: TRANSPORT INFORMATION

	ADR/RID	ADN	IMGG	IATA
14.1. UN number	Not regulated	Not regulated	Not regulated	Not regulated
14.2. UN proper shipping name	-	-	-	-
14.3. Transport hazard class(es)	-	-	-	-
14.4. Packing group	-	-	-	-
14.5. Environmental hazards	No	No	No	No
14.6 Special precautions for user:	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.			

SECTION 14: TRANSPORT INFORMATION (continue)

14.7 Transport in bulk according to IMO instruments: Not available.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UK (GB)/REACH

Annex XIV - List of substances subject to authorisation

Annex XIV: None of the components are listed.

Substances of very high concern: None of the components are listed.

Ozone depleting substances: Not listed.

Prior Informed Consent (PIC)

Part	Ingredient name	Status
Part 1	dioctyltin compounds	Listed

Persistent Organic Pollutants: Not listed

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Product/ingredient name	%	Designation [Usage]
Dioctyltinbis(acetylacetonate)	<1	20
methanol	<0.1	69

Labelling: Not applicable

Seveso Directive: This product is not controlled under the Seveso Directive

EU regulations

Industrial emissions (integrated pollution prevention and control) – Air: Not listed

Industrial emissions (integrated pollution prevention and control) – Water: Not listed

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals: Not listed

Montreal Protocol: Not listed

Stockholm Convention on Persistent Organic Pollutants: Not listed

Rotterdam Convention on Prior Informed Consent (PIC): Not listed

UNECE Aarhus Protocol on POPs and Heavy Metals: Not listed

Inventory list

Australia: Not determined

Canada: Not determined

China: Not determined

Eurasian Economic Union: **Russian Federation inventory:** Not determined

Japan: **Japan inventory (CSCL):** Not determined

Japan inventory (ISHL): Not determined

New Zealand: Not determined

Philippines: Not determined

Republic of Korea: Not determined

Taiwan: Not determined

Thailand: Not determined

Turkey: Not determined

United States: Not determined

Vietnam: Not determined

15.2 Chemical safety assessment: This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms:

ATE = Acute Toxicity Estimate
 GB CLP = UK CLP (EC No 1272/2008) on the Classification, Labelling and Packaging of Substances and Mixtures as amended by (EU Exit) Regulations 2019 No. 720 and amendments
 DMEL = Derived Minimal Effect Level
 DNEL = Derived No Effect Level
 EUH statement = GB CLP-specific Hazard statement
 N/A = Not available
 PBT = Persistent, Bioaccumulative and Toxic
 PNEC = Predicted No Effect Concentration
 RRN = REACH Registration Number
 SGG = Segregation Group
 vPvB = Very Persistent and Very Bioaccumulative

SECTION 16: OTHER INFORMATION (continue)

Procedure used to derive the classification

Classification	Justification
Eye Irrit. 2, H319	Calculation method
Skin Sens. 1, H317	Calculation method

Full text of abbreviated H statements:

H225 Highly flammable liquid and vapour.
 H301 Toxic if swallowed.
 H311 Toxic in contact with skin.
 H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.
 H331 Toxic if inhaled.
 H332 Harmful if inhaled.
 H361f Suspected of damaging fertility.
 H370 Causes damage to organs.
 H371 May cause damage to organs.
 H373 May cause damage to organs through prolonged or repeated exposure.
 H400 Very toxic to aquatic life.

Full text of classifications:

H411 Toxic to aquatic life with long lasting effects.
 Acute Tox. 3 ACUTE TOXICITY - Category 3
 Acute Tox. 4 ACUTE TOXICITY - Category 4
 Aquatic Acute 1 SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1
 Aquatic Chronic 2 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2
 Eye Dam. 1 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1
 Eye Irrit. 2 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
 Flam. Liq. 2 FLAMMABLE LIQUIDS - Category 2
 Repr. 2 REPRODUCTIVE TOXICITY - Category 2
 Skin Sens. 1 SKIN SENSITISATION - Category 1
 Skin Sens. 1B SKIN SENSITISATION - Category 1B
 STOT RE 2 SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 2
 STOT SE 1 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE - Category 1
 STOT SE 2 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE - Category 2

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at UK, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.